



Rocky Enterprise Linux 9.2 Manual Pages on command 'mktemp.3'

C:\>man mktemp.3

MKTEMP(3) Linux Programmer's Manual MKTEMP(3)

NAME

mktemp - make a unique temporary filename

SYNOPSIS

```
#include <stdlib.h>
```

```
char *mktemp(char *template);
```

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

mktemp():

Since glibc 2.12:

```
(_XOPEN_SOURCE >= 500) && ! (_POSIX_C_SOURCE >= 200112L)
```

```
|| /* Glibc since 2.19: */ _DEFAULT_SOURCE
```

```
|| /* Glibc <= 2.19: */ _SVID_SOURCE || _BSD_SOURCE
```

Before glibc 2.12:

```
_BSD_SOURCE || _SVID_SOURCE || _XOPEN_SOURCE >= 500
```

DESCRIPTION

Never use this function; see BUGS.

The `mktemp()` function generates a unique temporary filename from `template`. The last six characters of `template` must be `XXXXXX` and these are replaced with a string that makes the filename unique. Since it will be modified, `template` must not be a string constant, but should be declared as a character array.

RETURN VALUE

The `mktemp()` function always returns `template`. If a unique name was created, the

last six bytes of template will have been modified in such a way that the resulting name is unique (i.e., does not exist already) If a unique name could not be created, template is made an empty string, and errno is set to indicate the error.

ERRORS

EINVAL The last six characters of template were not XXXXXX.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?mktemp() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

4.3BSD, POSIX.1-2001. POSIX.1-2008 removes the specification of mktemp().

BUGS

Never use mktemp(). Some implementations follow 4.3BSD and replace XXXXXX by the current process ID and a single letter, so that at most 26 different names can be returned. Since on the one hand the names are easy to guess, and on the other hand there is a race between testing whether the name exists and opening the file, every use of mktemp() is a security risk. The race is avoided by mkstemp(3) and mkdtemp(3).

SEE ALSO

mktemp(1), mkdtemp(3), mkstemp(3), tmpnam(3), tmpfile(3), tmpnam(3)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.