



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'modfl.3'***

**C:\>man modfl.3**

MODFL(3)                   Linux Programmer's Manual                   MODFL(3)

### NAME

modf, modff, modfl - extract signed integral and fractional values from floating-point number

### SYNOPSIS

```
#include <math.h>

double modf(double x, double *iptr);

float modff(float x, float *iptr);

long double modfl(long double x, long double *iptr);

Link with -lm.
```

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

```
modf(), modfl():

    _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

    /* Since glibc 2.19: */ _DEFAULT_SOURCE

    /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

### DESCRIPTION

These functions break the argument `x` into an integral part and a fractional part, each of which has the same sign as `x`. The integral part is stored in the location pointed to by `iptr`.

### RETURN VALUE

These functions return the fractional part of `x`.  
If `x` is a NaN, a NaN is returned, and `*iptr` is set to a NaN.

If x is positive infinity (negative infinity), +0 (-0) is returned, and \*iptr is set to positive infinity (negative infinity).

## ERRORS

No errors occur.

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface            ? Attribute   ? Value   ?

??

?modf(), modff(), modfl() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

## SEE ALSO

frexp(3), ldexp(3)

## COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

MODF(3)