



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'moduli.5'***

**C:\>man moduli.5**

MODULI(5) BSD File Formats Manual MODULI(5)

### NAME

moduli ? Diffie-Hellman moduli

### DESCRIPTION

The `/etc/ssh/moduli` file contains prime numbers and generators for use by `sshd(8)` in the Diffie-Hellman Group Exchange key exchange method.

New moduli may be generated with `ssh-keygen(1)` using a two-step process. An initial candidate generation pass, using `ssh-keygen -G`, calculates numbers that are likely to be useful. A second primality testing pass, using `ssh-keygen -T`, provides a high degree of assurance that the numbers are prime and are safe for use in Diffie-Hellman operations by `sshd(8)`. This moduli format is used as the output from each pass.

The file consists of newline-separated records, one per modulus, containing seven space-separated fields. These fields are as follows:

timestamp The time that the modulus was last processed as YYYYMMDDHHMMSS.

type Decimal number specifying the internal structure of the prime modulus.

Supported types are:

- 0 Unknown, not tested.
- 2 "Safe" prime;  $(p-1)/2$  is also prime.
- 4 Sophie Germain;  $2p+1$  is also prime.

Moduli candidates initially produced by `ssh-keygen(1)` are Sophie Germain primes (type 4). Further primality testing with `ssh-keygen(1)` produces safe prime moduli (type 2) that are ready

for use in sshd(8). Other types are not used by OpenSSH.

tests     Decimal number indicating the type of primality tests that the number has been subjected to represented as a bitmask of the following values:

0x00 Not tested.

0x01 Composite number ? not prime.

0x02 Sieve of Eratosthenes.

0x04 Probabilistic Miller-Rabin primality tests.

The ssh-keygen(1) moduli candidate generation uses the Sieve of Eratosthenes (flag 0x02). Subsequent ssh-keygen(1) primality tests are Miller-Rabin tests (flag 0x04).

trials     Decimal number indicating the number of primality trials that have been performed on the modulus.

size       Decimal number indicating the size of the prime in bits.

generator   The recommended generator for use with this modulus (hexadecimal).

modulus     The modulus itself in hexadecimal.

When performing Diffie-Hellman Group Exchange, sshd(8) first estimates the size of the modulus required to produce enough Diffie-Hellman output to sufficiently key the selected symmetric cipher. sshd(8) then randomly selects a modulus from /etc/ssh/moduli that best meets the size requirement.

## SEE ALSO

ssh-keygen(1), sshd(8)

## STANDARDS

M. Friedl, N. Provos, and W. Simpson, Diffie-Hellman Group Exchange for the Secure Shell (SSH) Transport Layer Protocol, RFC 4419, March 2006 2006.

BSD

September 26, 2012

BSD