



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'mountpoint.1'***

**C:\>man mountpoint.1**

MOUNTPOINT(1)                      User Commands                      MOUNTPOINT(1)

### NAME

mountpoint - see if a directory or file is a mountpoint

### SYNOPSIS

mountpoint [-d|-q] directory | file

mountpoint -x device

### DESCRIPTION

mountpoint checks whether the given directory or file is mentioned in the /proc/self/mountinfo file.

### OPTIONS

-d, --fs-devno

Show the major/minor numbers of the device that is mounted on the given directory.

-q, --quiet

Be quiet - don't print anything.

-x, --devno

Show the major/minor numbers of the given blockdevice on standard output.

-V, --version

Display version information and exit.

-h, --help

Display help text and exit.

### EXIT STATUS

Zero if the directory or file is a mountpoint, non-zero if not.

#### AUTHOR

Karel Zak <kzak@redhat.com>

#### ENVIRONMENT

LIBMOUNT\_DEBUG=all

enables libmount debug output.

#### NOTES

The util-linux mountpoint implementation was written from scratch for libmount.

The original version for sysvinit suite was written by Miquel van Smoorenburg.

#### SEE ALSO

mount(8)

#### AVAILABILITY

The mountpoint command is part of the util-linux package and is available from

<https://www.kernel.org/pub/linux/utils/util-linux/>.

util-linux

July 2014

MOUNTPOINT(1)