



Rocky Enterprise Linux 9.2 Manual Pages on command 'ntfscluster.8'

C:\>man ntfscluster.8

NTFSCLUSTER(8) System Manager's Manual NTFSCLUSTER(8)

NAME

ntfscluster - identify files in a specified region of an NTFS volume.

SYNOPSIS

ntfscluster [options] device

DESCRIPTION

ntfscluster has three modes of operation: info, sector and cluster.

Info

The default mode, info is currently not implemented. It will display general information about the NTFS volume when it is working.

Sector

The sector mode will display a list of files that have data in the specified range of sectors.

Cluster

The cluster mode will display a list of files that have data in the specified range of clusters. When the cluster size is one sector, this will be equivalent to the sector mode of operation.

OPTIONS

Below is a summary of all the options that ntfscluster accepts. Nearly all options have two equivalent names. The short name is preceded by - and the long name is preceded by --. Any single letter options, that don't take an argument, can be combined into a single command, e.g. -fv is equivalent to -f -v. Long named op?

tions can be abbreviated to any unique prefix of their name.

-c, --cluster RANGE

Any files whose data is in this range of clusters will be displayed.

-F, --filename NAME

Show information about this file.

-f, --force

This will override some sensible defaults, such as not working with a mounted volume. Use this option with caution.

-h, --help

Show a list of options with a brief description of each one.

-I, --inode NUM

Show information about this inode.

-i, --info

This option is not yet implemented.

-q, --quiet

Reduce the amount of output to a minimum. Naturally, it doesn't make sense to combine this option with

-s, --sector RANGE

Any files whose data is in this range of sectors will be displayed.

-v, --verbose

Increase the amount of output that ntfscuster prints.

-V, --version

Show the version number, copyright and license for ntfscuster.

EXAMPLES

Get some information about the volume `/dev/hda1`.

```
ntfscuster /dev/hda1
```

Look for files in the first 500 clusters of `/dev/hda1`.

```
ntfscuster -c 0-500 /dev/hda1
```

BUGS

The `info` mode isn't implemented yet. ntfscuster is quite limited, but it has no known bugs. If you find a bug please send an email describing the problem to the development team:

ntfs-3g-devel@lists.sf.net

AUTHORS

ntfscluster was written by Richard Russon, with contributions from Anton Alta?
parmakov. It was ported to ntfs-3g by Erik Larsson.

AVAILABILITY

ntfscluster is part of the ntfs-3g package and is available from:

<http://www.tuxera.com/community/>

SEE ALSO

ntfsinfo(8), ntfsprogs(8)

ntfs-3g 2017.3.23AR.3

November 2005

NTFSCLUSTER(8)