



Rocky Enterprise Linux 9.2 Manual Pages on command 'ntp_gettime.3'

C:\>man ntp_gettime.3

NTP_GETTIME(3) Linux Programmer's Manual NTP_GETTIME(3)

NAME

ntp_gettime, ntp_gettimex - get time parameters (NTP daemon interface)

SYNOPSIS

```
#include <sys/timex.h>
```

```
int ntp_gettime(struct ntptimeval *ntv);
```

```
int ntp_gettimex(struct ntptimeval *ntv);
```

DESCRIPTION

Both of these APIs return information to the caller via the ntv argument, a struc?

ture of the following type:

```
struct ntptimeval {
    struct timeval time;        /* Current time */
    long int maxerror;        /* Maximum error */
    long int esterror;        /* Estimated error */
    long int tai;            /* TAI offset */
    /* Further padding bytes allowing for future expansion */
};
```

The fields of this structure are as follows:

time The current time, expressed as a timeval structure:

```
struct timeval {
    time_t    tv_sec; /* Seconds since the Epoch */
    suseconds_t tv_usec; /* Microseconds */
};
```

};

maxerror

Maximum error, in microseconds. This value can be initialized by ntp_adjtime(3), and is increased periodically (on Linux: each second), but is clamped to an upper limit (the kernel constant NTP_PHASE_MAX, with a value of 16,000).

esterror

Estimated error, in microseconds. This value can be set via ntp_adjtime(3) to contain an estimate of the difference between the system clock and the true time. This value is not used inside the kernel.

tai TAI (Atomic International Time) offset.

ntp_gettime() returns an ntp_timeval structure in which the time, maxerror, and esterror fields are filled in.

ntp_gettimex() performs the same task as ntp_gettime(), but also returns information in the tai field.

RETURN VALUE

The return values for ntp_gettime() and ntp_gettimex() are as for adjtimex(2). Given a correct pointer argument, these functions always succeed.

VERSIONS

The ntp_gettime() function is available since glibc 2.1. The ntp_gettimex() function is available since glibc 2.12.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?ntp_gettime(), ntp_gettimex() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

ntp_gettime() is described in the NTP Kernel Application Program Interface. ntp_gettimex() is a GNU extension.

SEE ALSO

adjtimex(2) ntp_adjtime(3), time(7)

NTP "Kernel Application Program Interface" ?[http://www.slac.stanford.edu/comp/unix/package/rtems/src/ssr1Apps/ntpNanoclock/api.htm?](http://www.slac.stanford.edu/comp/unix/package/rtems/src/ssr1Apps/ntpNanoclock/api.htm)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2017-09-15

NTP_GETTIME(3)