



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'peekfd.1'***

**C:\>man peekfd.1**

PEEKFD(1) User Commands PEEKFD(1)

### NAME

peekfd - peek at file descriptors of running processes

### SYNOPSIS

peekfd [-8,--eight-bit-clean] [-n,--no-headers] [-f,--follow] [-d,--duplicates-re?  
moved] [-V,--version] [-h,--help] pid [fd] [fd] ...

### DESCRIPTION

peekfd attaches to a running process and intercepts all reads and writes to file descriptors. You can specify the desired file descriptor numbers or dump all of them.

### OPTIONS

- 8 Do no post-processing on the bytes being read or written.
- n Do not display headers indicating the source of the bytes dumped.
- c Also dump the requested file descriptor activity in any new child processes that are created.
- d Remove duplicate read/writes from the output. If you're looking at a tty with echo, you might want this.
- v Display a version string.
- h Display a help message.

### FILES

/proc/\*/fd

Not used but useful for the user to look at to get good file descriptor num?

bers.

## ENVIRONMENT

None.

## DIAGNOSTICS

The following diagnostics may be issued on stderr:

Error attaching to pid ...

An unknown error occurred while attempted to attach to a process.. you may need to be root.

## BUGS

Probably lots. Don't be surprised if the process you are monitoring dies.

## AUTHOR

Trent Waddington ?trent.waddington@gmail.com?

## SEE ALSO

ttysnoop(8)

psmisc

2012-07-28

PEEKFD(1)