



Rocky Enterprise Linux 9.2 Manual Pages on command 'posixoptions.7'

C:\>man posixoptions.7

POSIXOPTIONS(7) Linux Programmer's Manual POSIXOPTIONS(7)

NAME

posixoptions - optional parts of the POSIX standard

DESCRIPTION

The POSIX standard (the information below is from POSIX.1-2001) describes a set of behaviors and interfaces for a compliant system. However, many interfaces are optional and there are feature test macros to test the availability of interfaces at compile time, and functions `sysconf(3)`, `fpathconf(3)`, `pathconf(3)`, `confstr(3)` to do this at run time. From shell scripts one can use `getconf(1)`. For more detail, see `sysconf(3)`.

We give the name of the POSIX abbreviation, the option, the name of the `sysconf(3)` parameter used to inquire about the option, and possibly a very short description.

Much more precise detail can be found in the POSIX standard itself, versions of which can nowadays be accessed freely on the web.

ADV - `_POSIX_ADVISORY_INFO` - `_SC_ADVISORY_INFO`

The following advisory functions are present:

`posix_fadvise()`

`posix_fallocate()`

`posix_memalign()`

`posix_madvise()`

AIO - `_POSIX_ASYNCHRONOUS_IO` - `_SC_ASYNCHRONOUS_IO`

The header `<aio.h>` is present. The following functions are present:

aio_cancel()
aio_error()
aio_fsync()
aio_read()
aio_return()
aio_suspend()
aio_write()
lio_listio()

BAR - _POSIX_BARRIERS - _SC_BARRIERS

This option implies the _POSIX_THREADS and _POSIX_THREAD_SAFE_FUNCTIONS options.

The following functions are present:

pthread_barrier_destroy()
pthread_barrier_init()
pthread_barrier_wait()
pthread_barrierattr_destroy()
pthread_barrierattr_init()

--- - POSIX_CHOWN_RESTRICTED

If this option is in effect (as it always is under POSIX.1-2001), then only root may change the owner of a file, and nonroot can set the group of a file only to one of the groups it belongs to. This affects the following functions

chown()
fchown()

CS - _POSIX_CLOCK_SELECTION - _SC_CLOCK_SELECTION

This option implies the _POSIX_TIMERS option. The following functions are present:

pthread_condattr_getclock()
pthread_condattr_setclock()
clock_nanosleep()

If CLOCK_REALTIME is changed by the function clock_settime(), then this affects all timers set for an absolute time.

CPT - _POSIX_CPUTIME - _SC_CPUTIME

The CLOCK_PROCESS_CPUTIME_ID clock ID is supported. The initial value of this clock is 0 for each process. This option implies the _POSIX_TIMERS option. The function clock_getcpuclockid() is present.

--- - _POSIX_FILE_LOCKING - _SC_FILE_LOCKING

This option has been deleted. Not in final XPG6.

FSC - _POSIX_FSYNC - _SC_FSYNC

The function fsync() is present.

IP6 - _POSIX_IPV6 - _SC_IPV6

Internet Protocol Version 6 is supported.

--- - _POSIX_JOB_CONTROL - _SC_JOB_CONTROL

If this option is in effect (as it always is under POSIX.1-2001), then the system implements POSIX-style job control, and the following functions are present:

setpgid()

tcdrain()

tcflush()

tcgetpgrp()

tcsendbreak()

tcsetattr()

tcsetpgrp()

MF - _POSIX_MAPPED_FILES - _SC_MAPPED_FILES

Shared memory is supported. The include file <sys/mman.h> is present. The following

functions are present:

mmap()

msync()

munmap()

ML - _POSIX_MEMLOCK - _SC_MEMLOCK

Shared memory can be locked into core. The following functions are present:

mlockall()

munlockall()

MR/MLR - _POSIX_MEMLOCK_RANGE - _SC_MEMLOCK_RANGE

More precisely, ranges can be locked into core. The following functions are present:

mlock()

munlock()

MPR - _POSIX_MEMORY_PROTECTION - _SC_MEMORY_PROTECTION

The function mprotect() is present.

MSG - _POSIX_MESSAGE_PASSING - _SC_MESSAGE_PASSING

The include file <mqqueue.h> is present. The following functions are present:

- mq_close()
- mq_getattr()
- mq_notify()
- mq_open()
- mq_receive()
- mq_send()
- mq_setattr()
- mq_unlink()

MON - _POSIX_MONOTONIC_CLOCK - _SC_MONOTONIC_CLOCK

CLOCK_MONOTONIC is supported. This option implies the _POSIX_TIMERS option. The

following functions are affected:

- aio_suspend()
- clock_getres()
- clock_gettime()
- clock_settime()
- timer_create()

--- - _POSIX_MULTI_PROCESS - _SC_MULTI_PROCESS

This option has been deleted. Not in final XPG6.

--- - _POSIX_NO_TRUNC

If this option is in effect (as it always is under POSIX.1-2001), then pathname components longer than NAME_MAX are not truncated, but give an error. This property may be dependent on the path prefix of the component.

PIO - _POSIX_PRIORITIZED_IO - _SC_PRIORITIZED_IO

This option says that one can specify priorities for asynchronous I/O. This affects the functions

- aio_read()
- aio_write()

PS - _POSIX_PRIORITY_SCHEDULING - _SC_PRIORITY_SCHEDULING

The include file <sched.h> is present. The following functions are present:

- sched_get_priority_max()
- sched_get_priority_min()

sched_getparam()
sched_getscheduler()
sched_rr_get_interval()
sched_setparam()
sched_setscheduler()
sched_yield()

If also `_POSIX_SPAWN` is in effect, then the following functions are present:

posix_spawnattr_getschedparam()
posix_spawnattr_getschedpolicy()
posix_spawnattr_setschedparam()
posix_spawnattr_setschedpolicy()

RS - `_POSIX_RAW_SOCKETS`

Raw sockets are supported. The following functions are affected:

getsockopt()
setsockopt()

--- - `_POSIX_READER_WRITER_LOCKS` - `_SC_READER_WRITER_LOCKS`

This option implies the `_POSIX_THREADS` option. Conversely, under POSIX.1-2001 the `_POSIX_THREADS` option implies this option.

The following functions are present:

pthread_rwlock_destroy()
pthread_rwlock_init()
pthread_rwlock_rdlock()
pthread_rwlock_tryrdlock()
pthread_rwlock_trywrlock()
pthread_rwlock_unlock()
pthread_rwlock_wrlock()
pthread_rwlockattr_destroy()
pthread_rwlockattr_init()

RTS - `_POSIX_REALTIME_SIGNALS` - `_SC_REALTIME_SIGNALS`

Realtime signals are supported. The following functions are present:

sigqueue()
sigtimedwait()
sigwaitinfo()

--- - _POSIX_REGEX - _SC_REGEX

If this option is in effect (as it always is under POSIX.1-2001), then POSIX regular

expressions are supported and the following functions are present:

regcomp()

regerror()

regexexec()

regfree()

--- - _POSIX_SAVED_IDS - _SC_SAVED_IDS

If this option is in effect (as it always is under POSIX.1-2001), then a process

has a saved set-user-ID and a saved set-group-ID. The following functions are af-

fectected:

exec()

kill()

seteuid()

setegid()

setgid()

setuid()

SEM - _POSIX_SEMAPHORES - _SC_SEMAPHORES

The include file <semaphore.h> is present. The following functions are present:

sem_close()

sem_destroy()

sem_getvalue()

sem_init()

sem_open()

sem_post()

sem_trywait()

sem_unlink()

sem_wait()

SHM - _POSIX_SHARED_MEMORY_OBJECTS - _SC_SHARED_MEMORY_OBJECTS

The following functions are present:

mmap()

munmap()

shm_open()

shm_unlink()

--- - _POSIX_SHELL - _SC_SHELL

If this option is in effect (as it always is under POSIX.1-2001), the function sys?
tem() is present.

SPN - _POSIX_SPAWN - _SC_SPAWN

This option describes support for process creation in a context where it is diffi?
cult or impossible to use fork(), for example, because no MMU is present.

If _POSIX_SPAWN is in effect, then the include file <spawn.h> and the following
functions are present:

posix_spawn()

posix_spawn_file_actions_addclose()

posix_spawn_file_actions_adddup2()

posix_spawn_file_actions_addopen()

posix_spawn_file_actions_destroy()

posix_spawn_file_actions_init()

posix_spawnattr_destroy()

posix_spawnattr_getsigdefault()

posix_spawnattr_getflags()

posix_spawnattr_getpgroup()

posix_spawnattr_getsigmask()

posix_spawnattr_init()

posix_spawnattr_setsigdefault()

posix_spawnattr_setflags()

posix_spawnattr_setpgroup()

posix_spawnattr_setsigmask()

posix_spawnp()

If also _POSIX_PRIORITY_SCHEDULING is in effect, then the following functions are
present:

posix_spawnattr_getschedparam()

posix_spawnattr_getschedpolicy()

posix_spawnattr_setschedparam()

posix_spawnattr_setschedpolicy()

SPI - _POSIX_SPIN_LOCKS - _SC_SPIN_LOCKS

This option implies the `_POSIX_THREADS` and `_POSIX_THREAD_SAFE_FUNCTIONS` options.

The following functions are present:

`pthread_spin_destroy()`

`pthread_spin_init()`

`pthread_spin_lock()`

`pthread_spin_trylock()`

`pthread_spin_unlock()`

SS - `_POSIX_SPORADIC_SERVER` - `_SC_SPORADIC_SERVER`

The scheduling policy `SCHED_SPORADIC` is supported. This option implies the `_POSIX_PRIORITY_SCHEDULING` option. The following functions are affected:

`sched_setparam()`

`sched_setscheduler()`

SIO - `_POSIX_SYNCHRONIZED_IO` - `_SC_SYNCHRONIZED_IO`

The following functions are affected:

`open()`

`msync()`

`fsync()`

`fdatasync()`

TSA - `_POSIX_THREAD_ATTR_STACKADDR` - `_SC_THREAD_ATTR_STACKADDR`

The following functions are affected:

`pthread_attr_getstack()`

`pthread_attr_getstackaddr()`

`pthread_attr_setstack()`

`pthread_attr_setstackaddr()`

TSS - `_POSIX_THREAD_ATTR_STACKSIZE` - `_SC_THREAD_ATTR_STACKSIZE`

The following functions are affected:

`pthread_attr_getstack()`

`pthread_attr_getstacksize()`

`pthread_attr_setstack()`

`pthread_attr_setstacksize()`

TCT - `_POSIX_THREAD_CPUTIME` - `_SC_THREAD_CPUTIME`

The clockID `CLOCK_THREAD_CPUTIME_ID` is supported. This option implies the `_POSIX_TIMERS` option. The following functions are affected:

pthread_getcpuclockid()

clock_getres()

clock_gettime()

clock_settime()

timer_create()

TPI - _POSIX_THREAD_PRIO_INHERIT - _SC_THREAD_PRIO_INHERIT

The following functions are affected:

pthread_mutexattr_getprotocol()

pthread_mutexattr_setprotocol()

TPP - _POSIX_THREAD_PRIO_PROTECT - _SC_THREAD_PRIO_PROTECT

The following functions are affected:

pthread_mutex_getprioceiling()

pthread_mutex_setprioceiling()

pthread_mutexattr_getprioceiling()

pthread_mutexattr_getprotocol()

pthread_mutexattr_setprioceiling()

pthread_mutexattr_setprotocol()

TPS - _POSIX_THREAD_PRIORITY_SCHEDULING - _SC_THREAD_PRIORITY_SCHEDULING

If this option is in effect, the different threads inside a process can run with different priorities and/or different schedulers. The following functions are affected:

pthread_attr_getinheritsched()

pthread_attr_getschedpolicy()

pthread_attr_getscope()

pthread_attr_setinheritsched()

pthread_attr_setschedpolicy()

pthread_attr_setscope()

pthread_getschedparam()

pthread_setschedparam()

pthread_setschedprio()

TSH - _POSIX_THREAD_PROCESS_SHARED - _SC_THREAD_PROCESS_SHARED

The following functions are affected:

pthread_barrierattr_getpshared()

pthread_barrierattr_setpshared()
pthread_condattr_getpshared()
pthread_condattr_setpshared()
pthread_mutexattr_getpshared()
pthread_mutexattr_setpshared()
pthread_rwlockattr_getpshared()
pthread_rwlockattr_setpshared()

TSP - _POSIX_THREAD_SAFE_FUNCTIONS - _SC_THREAD_SAFE_FUNCTIONS

The following functions are affected:

readdir_r()
getgrgid_r()
getgrnam_r()
getpwnam_r()
getpwuid_r()
flockfile()
ftrylockfile()
funlockfile()
getc_unlocked()
getchar_unlocked()
putc_unlocked()
putchar_unlocked()
rand_r()
strerror_r()
strtok_r()
asctime_r()
ctime_r()
gmtime_r()
localtime_r()

TSP - _POSIX_THREAD_SPORADIC_SERVER - _SC_THREAD_SPORADIC_SERVER

This option implies the _POSIX_THREAD_PRIORITY_SCHEDULING option. The following functions are affected:

sched_getparam()
sched_setparam()

sched_setscheduler()

THR - _POSIX_THREADS - _SC_THREADS

Basic support for POSIX threads is available. The following functions are present:

pthread_atfork()

pthread_attr_destroy()

pthread_attr_getdetachstate()

pthread_attr_getschedparam()

pthread_attr_init()

pthread_attr_setdetachstate()

pthread_attr_setschedparam()

pthread_cancel()

pthread_cleanup_push()

pthread_cleanup_pop()

pthread_cond_broadcast()

pthread_cond_destroy()

pthread_cond_init()

pthread_cond_signal()

pthread_cond_timedwait()

pthread_cond_wait()

pthread_condattr_destroy()

pthread_condattr_init()

pthread_create()

pthread_detach()

pthread_equal()

pthread_exit()

pthread_getspecific()

pthread_join()

pthread_key_create()

pthread_key_delete()

pthread_mutex_destroy()

pthread_mutex_init()

pthread_mutex_lock()

pthread_mutex_trylock()

pthread_mutex_unlock()
pthread_mutexattr_destroy()
pthread_mutexattr_init()
pthread_once()
pthread_rwlock_destroy()
pthread_rwlock_init()
pthread_rwlock_rdlock()
pthread_rwlock_tryrdlock()
pthread_rwlock_trywrlock()
pthread_rwlock_unlock()
pthread_rwlock_wrlock()
pthread_rwlockattr_destroy()
pthread_rwlockattr_init()
pthread_self()
pthread_setcancelstate()
pthread_setcanceltype()
pthread_setspecific()
pthread_testcancel()

TMO - _POSIX_TIMEOUTS - _SC_TIMEOUTS

The following functions are present:

mq_timedreceive()
mq_timedsend()
pthread_mutex_timedlock()
pthread_rwlock_timedrdlock()
pthread_rwlock_timedwrlock()
sem_timedwait()
posix_trace_timedgetnext_event()

TMR - _POSIX_TIMERS - _SC_TIMERS

The following functions are present:

clock_getres()
clock_gettime()
clock_settime()
nanosleep()

timer_create()
timer_delete()
timer_gettime()
timer_getoverrun()
timer_settime()

TRC - _POSIX_TRACE - _SC_TRACE

POSIX tracing is available. The following functions are present:

posix_trace_attr_destroy()
posix_trace_attr_getclockres()
posix_trace_attr_getcreatetime()
posix_trace_attr_getgenversion()
posix_trace_attr_getmaxdatasize()
posix_trace_attr_getmaxsystemeventsizesize()
posix_trace_attr_getmaxusereventsizesize()
posix_trace_attr_getname()
posix_trace_attr_getstreamfullpolicy()
posix_trace_attr_getstreamsize()
posix_trace_attr_init()
posix_trace_attr_setmaxdatasize()
posix_trace_attr_setname()
posix_trace_attr_setstreamsize()
posix_trace_attr_setstreamfullpolicy()
posix_trace_clear()
posix_trace_create()
posix_trace_event()
posix_trace_eventid_equal()
posix_trace_eventid_get_name()
posix_trace_eventid_open()
posix_trace_eventtypelist_getnext_id()
posix_trace_eventtypelist_rewind()
posix_trace_flush()
posix_trace_get_attr()
posix_trace_get_status()

posix_trace_getnext_event()
posix_trace_shutdown()
posix_trace_start()
posix_trace_stop()
posix_trace_trygetnext_event()

TEF - _POSIX_TRACE_EVENT_FILTER - _SC_TRACE_EVENT_FILTER

This option implies the _POSIX_TRACE option. The following functions are present:

posix_trace_eventset_add()
posix_trace_eventset_del()
posix_trace_eventset_empty()
posix_trace_eventset_fill()
posix_trace_eventset_ismember()
posix_trace_get_filter()
posix_trace_set_filter()
posix_trace_trid_eventid_open()

TRI - _POSIX_TRACE_INHERIT - _SC_TRACE_INHERIT

Tracing children of the traced process is supported. This option implies the _POSIX_TRACE option. The following functions are present:

posix_trace_attr_getinherited()
posix_trace_attr_setinherited()

TRL - _POSIX_TRACE_LOG - _SC_TRACE_LOG

This option implies the _POSIX_TRACE option. The following functions are present:

posix_trace_attr_getlogfullpolicy()
posix_trace_attr_getlogsize()
posix_trace_attr_setlogfullpolicy()
posix_trace_attr_setlogsize()
posix_trace_close()
posix_trace_create_withlog()
posix_trace_open()
posix_trace_rewind()

TYM - _POSIX_TYPED_MEMORY_OBJECTS - _SC_TYPED_MEMORY_OBJECT

The following functions are present:

posix_mem_offset()

posix_typed_mem_get_info()

posix_typed_mem_open()

--- - _POSIX_VDISABLE

Always present (probably 0). Value to set a changeable special control character to indicate that it is disabled.

X/OPEN SYSTEM INTERFACE EXTENSIONS

XSI - _XOPEN_CRYPT - _SC_XOPEN_CRYPT

The following functions are present:

crypt()

encrypt()

setkey()

XSI - _XOPEN_REALTIME - _SC_XOPEN_REALTIME

This option implies the following options:

_POSIX_ASYNCHRONOUS_IO==200112L

_POSIX_FSYNC

_POSIX_MAPPED_FILES

_POSIX_MEMLOCK==200112L

_POSIX_MEMLOCK_RANGE==200112L

_POSIX_MEMORY_PROTECTION

_POSIX_MESSAGE_PASSING==200112L

_POSIX_PRIORITIZED_IO

_POSIX_PRIORITY_SCHEDULING==200112L

_POSIX_REALTIME_SIGNALS==200112L

_POSIX_SEMAPHORES==200112L

_POSIX_SHARED_MEMORY_OBJECTS==200112L

_POSIX_SYNCHRONIZED_IO==200112L

_POSIX_TIMERS==200112L

ADV - ----

The Advanced Realtime option group implies that the following options are all defined to 200112L:

_POSIX_ADVISORY_INFO

_POSIX_CLOCK_SELECTION

(implies _POSIX_TIMERS)

_POSIX_CPUTIME

(implies _POSIX_TIMERS)

_POSIX_MONOTONIC_CLOCK

(implies _POSIX_TIMERS)

_POSIX_SPAWN

_POSIX_SPORADIC_SERVER

(implies _POSIX_PRIORITY_SCHEDULING)

_POSIX_TIMEOUTS

_POSIX_TYPED_MEMORY_OBJECTS

XSI - _XOPEN_REALTIME_THREADS - _SC_XOPEN_REALTIME_THREADS

This option implies that the following options are all defined to 200112L:

_POSIX_THREAD_PRIO_INHERIT

_POSIX_THREAD_PRIO_PROTECT

_POSIX_THREAD_PRIORITY_SCHEDULING

ADVANCED REALTIME THREADS - ----

This option implies that the following options are all defined to 200112L:

_POSIX_BARRIERS

(implies _POSIX_THREADS, _POSIX_THREAD_SAFE_FUNCTIONS)

_POSIX_SPIN_LOCKS

(implies _POSIX_THREADS, _POSIX_THREAD_SAFE_FUNCTIONS)

_POSIX_THREAD_CPUTIME

(implies _POSIX_TIMERS)

_POSIX_THREAD_SPORADIC_SERVER

(implies _POSIX_THREAD_PRIORITY_SCHEDULING)

TRACING - ----

This option implies that the following options are all defined to 200112L:

_POSIX_TRACE

_POSIX_TRACE_EVENT_FILTER

_POSIX_TRACE_LOG

_POSIX_TRACE_INHERIT

STREAMS - _XOPEN_STREAMS - _SC_XOPEN_STREAMS

The following functions are present:

fattach()

fdetach()
getmsg()
getpmsg()
ioctl()
isastream()
putmsg()
putpmsg()

XSI - _XOPEN_LEGACY - _SC_XOPEN_LEGACY

Functions included in the legacy option group were previously mandatory, but are now optional in this version. The following functions are present:

bcmp()
bcopy()
bzero()
ecvt()
fcvt()
ftime()
gcvt()
getcwd()
index()
mktemp()
rindex()
utimes()
wcs wcs()

XSI - _XOPEN_UNIX - _SC_XOPEN_UNIX

The following functions are present:

mmap()
munmap()
msync()

This option implies the following options:

_POSIX_FSYNC
_POSIX_MAPPED_FILES
_POSIX_MEMORY_PROTECTION
_POSIX_THREAD_ATTR_STACKADDR

_POSIX_THREAD_ATTR_STACKSIZE
_POSIX_THREAD_PROCESS_SHARED
_POSIX_THREAD_SAFE_FUNCTIONS
_POSIX_THREADS

This option may imply the following options from the XSI option groups:

Encryption (_XOPEN_CRYPT)

Realtime (_XOPEN_REALTIME)

Advanced Realtime (ADB)

Realtime Threads (_XOPEN_REALTIME_THREADS)

Advanced Realtime Threads (ADVANCED REALTIME THREADS)

Tracing (TRACING)

XSI Streams (STREAMS)

Legacy (_XOPEN_LEGACY)

SEE ALSO

sysconf(3), standards(7)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2018-04-30

POSIXOPTIONS(7)