



Rocky Enterprise Linux 9.2 Manual Pages on command 'revtwoway.3am'

C:\>man revtwoway.3am

REVTWOWAY(3am) GNU Awk Extension Modules REVTWOWAY(3am)

NAME

revtwoway - Reverse strings sample two-way processor extension

SYNOPSIS

```
@load "revtwoway"

BEGIN {
    cmd = "/magic/mirror"
    print "hello, world" |& cmd
    cmd |& getline result
    print result
    close(cmd)
}
```

DESCRIPTION

The `revtwoway` extension adds a simple two-way processor that reverses the characters in each line sent to it for reading back by the AWK program. Its main purpose is to show how to write a two-way extension, although it may also be mildly amusing.

SEE ALSO

GAWK: Effective AWK Programming, `filefuncs(3am)`, `fnmatch(3am)`, `fork(3am)`, `inplace(3am)`, `ordchr(3am)`, `readdir(3am)`, `readfile(3am)`, `revoutput(3am)`, `rwarray(3am)`, `time(3am)`.

AUTHOR

Arnold Robbins, arnold@skeeve.com.

COPYING PERMISSIONS

Copyright ? 2012, 2013, 2018, Free Software Foundation, Inc.

Permission is granted to make and distribute verbatim copies of this manual page provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual page under the conditions for verbatim copying, provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual page into another language, under the above conditions for modified versions, except that this permission notice may be stated in a translation approved by the Foundation.

Free Software Foundation

Feb 21 2018

REVTWOWAY(3am)