



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'setgroups32.2'***

**C:\>man setgroups32.2**

GETGROUPS(2)                      Linux Programmer's Manual                      GETGROUPS(2)

### NAME

getgroups, setgroups - get/set list of supplementary group IDs

### SYNOPSIS

```
#include <sys/types.h>
```

```
#include <unistd.h>
```

```
int getgroups(int size, gid_t list[]);
```

```
#include <grp.h>
```

```
int setgroups(size_t size, const gid_t *list);
```

Feature Test Macro Requirements for glibc (see [feature\\_test\\_macros\(7\)](#)):

setgroups():

Since glibc 2.19:

```
    _DEFAULT_SOURCE
```

Glibc 2.19 and earlier:

```
    _BSD_SOURCE
```

### DESCRIPTION

getgroups() returns the supplementary group IDs of the calling process in list.

The argument size should be set to the maximum number of items that can be stored in the buffer pointed to by list. If the calling process is a member of more than size supplementary groups, then an error results.

It is unspecified whether the effective group ID of the calling process is included in the returned list. (Thus, an application should also call [getegid\(2\)](#) and add or

remove the resulting value.)

If size is zero, list is not modified, but the total number of supplementary group IDs for the process is returned. This allows the caller to determine the size of a dynamically allocated list to be used in a further call to getgroups().

setgroups() sets the supplementary group IDs for the calling process. Appropriate privileges are required (see the description of the EPERM error, below). The size argument specifies the number of supplementary group IDs in the buffer pointed to by list. A process can drop all of its supplementary groups with the call:

```
setgroups(0, NULL);
```

## RETURN VALUE

On success, getgroups() returns the number of supplementary group IDs. On error, -1 is returned, and errno is set appropriately.

On success, setgroups() returns 0. On error, -1 is returned, and errno is set appropriately.

## ERRORS

EFAULT list has an invalid address.

getgroups() can additionally fail with the following error:

EINVAL size is less than the number of supplementary group IDs, but is not zero.

setgroups() can additionally fail with the following errors:

EINVAL size is greater than NGROUPS\_MAX (32 before Linux 2.6.4; 65536 since Linux 2.6.4).

ENOMEM Out of memory.

EPERM The calling process has insufficient privilege (the caller does not have the CAP\_SETGID capability in the user namespace in which it resides).

EPERM (since Linux 3.19)

The use of setgroups() is denied in this user namespace. See the description of /proc/[pid]/setgroups in user\_namespaces(7).

## CONFORMING TO

getgroups(): SVr4, 4.3BSD, POSIX.1-2001, POSIX.1-2008.

setgroups(): SVr4, 4.3BSD. Since setgroups() requires privilege, it is not covered by POSIX.1.

## NOTES

A process can have up to NGROUPS\_MAX supplementary group IDs in addition to the ef?

fective group ID. The constant `NGROUPS_MAX` is defined in `<limits.h>`. The set of supplementary group IDs is inherited from the parent process, and preserved across an `execve(2)`.

The maximum number of supplementary group IDs can be found at run time using `sysconf(3)`:

```
long ngroups_max;
ngroups_max = sysconf(_SC_NGROUPS_MAX);
```

The maximum return value of `getgroups()` cannot be larger than one more than this value. Since Linux 2.6.4, the maximum number of supplementary group IDs is also exposed via the Linux-specific read-only file, `/proc/sys/kernel/ngroups_max`.

The original Linux `getgroups()` system call supported only 16-bit group IDs. Subsequently, Linux 2.4 added `getgroups32()`, supporting 32-bit IDs. The glibc `getgroups()` wrapper function transparently deals with the variation across kernel versions.

#### C library/kernel differences

At the kernel level, user IDs and group IDs are a per-thread attribute. However, POSIX requires that all threads in a process share the same credentials. The NPTL threading implementation handles the POSIX requirements by providing wrapper functions for the various system calls that change process UIDs and GIDs. These wrapper functions (including the one for `setgroups()`) employ a signal-based technique to ensure that when one thread changes credentials, all of the other threads in the process also change their credentials. For details, see `nptl(7)`.

#### SEE ALSO

`getgid(2)`, `setgid(2)`, `getgrouplist(3)`, `group_member(3)`, `initgroups(3)`, `capabilities(7)`, `credentials(7)`

#### COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.