



Rocky Enterprise Linux 9.2 Manual Pages on command 'strpbrk.3'

C:\>man strpbrk.3

STRPBRK(3) Linux Programmer's Manual STRPBRK(3)

NAME

strpbrk - search a string for any of a set of bytes

SYNOPSIS

```
#include <string.h>

char *strpbrk(const char *s, const char *accept);
```

DESCRIPTION

The strpbrk() function locates the first occurrence in the string s of any of the bytes in the string accept.

RETURN VALUE

The strpbrk() function returns a pointer to the byte in s that matches one of the bytes in accept, or NULL if no such byte is found.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?strpbrk() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C89, C99, SVr4, 4.3BSD.

SEE ALSO

index(3), memchr(3), rindex(3), strchr(3), string(3), strsep(3), strspn(3),
strstr(3), strtok(3), wcpbrk(3)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2015-08-08

STRPBRK(3)