



Rocky Enterprise Linux 9.2 Manual Pages on command 'swaplabel.8'

C:\>man swaplabel.8

SWAPLABEL(8) System Administration SWAPLABEL(8)

NAME

swaplabel - print or change the label or UUID of a swap area

SYNOPSIS

swaplabel [-L label] [-U UUID] device

DESCRIPTION

swaplabel will display or change the label or UUID of a swap partition located on device (or regular file).

If the optional arguments -L and -U are not given, swaplabel will simply display the current swap-area label and UUID of device.

If an optional argument is present, then swaplabel will change the appropriate value on device. These values can also be set during swap creation using mkswap(8). The swaplabel utility allows to change the label or UUID on an actively used swap device.

OPTIONS

-h, --help

Display help text and exit.

-L, --label label

Specify a new label for the device. Swap partition labels can be at most 16 characters long. If label is longer than 16 characters, swaplabel will truncate it and print a warning message.

-U, --uuid UUID

Specify a new UUID for the device. The UUID must be in the standard 8-4-4-4-12 character format, such as is output by `uuidgen(1)`.

AUTHOR

`swaplabel` was written by Jason Borden <jborden@bluehost.com> and Karel Zak <kzak@redhat.com>.

ENVIRONMENT

`LIBBLKID_DEBUG=all`

enables `libblkid` debug output.

AVAILABILITY

The `swaplabel` command is part of the `util-linux` package and is available from <https://www.kernel.org/pub/linux/utils/util-linux/>.

SEE ALSO

`uuidgen(1)`, `mkswap(8)`, `swapon(8)`

`util-linux`

April 2010

`SWAPLABEL(8)`