



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'tzselect.8'***

**C:\>man tzselect.8**

TZSELECT(8)                      Linux System Administration                      TZSELECT(8)

### NAME

tzselect - select a timezone

### SYNOPSIS

tzselect

### DESCRIPTION

The tzselect program asks the user for information about the current location, and outputs the resulting timezone description to standard output. The output is suitable as a value for the TZ environment variable.

All interaction with the user is done via standard input and standard error.

### EXIT STATUS

The exit status is zero if a timezone was successfully obtained from the user, and is nonzero otherwise.

### ENVIRONMENT

AWK Name of a POSIX-compliant awk program (default: awk).

TZDIR Name of the directory containing timezone data files (default: /usr/share/zoneinfo).

### FILES

TZDIR/iso3166.tab

Table of ISO 3166 2-letter country codes and country names.

TZDIR/zone.tab

Table of country codes, latitude and longitude, TZ values, and descriptive

comments.

## TZDIR/TZ

Timezone data file for timezone TZ.

## SEE ALSO

tzfile(5), zdump(8), zic(8)

## COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2007-05-18

TZSELECT(8)