



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'uuidparse.1'***

**C:~\>man uuidparse.1**

UUIDPARSE(1) User Commands UUIDPARSE(1)

### NAME

uuidparse - a utility to parse unique identifiers

### SYNOPSIS

uuidparse [options] uuid

### DESCRIPTION

This command will parse unique identifier inputs from either command line arguments or standard input. The inputs are white-space separated.

### OUTPUT

#### Variants

NCS Network Computing System identifier. These were the original UUIDs.

DCE The Open Software Foundation's (OSF) Distributed Computing Environment UUIDs.

Microsoft Microsoft Windows platform globally unique identifier (GUID).

other Unknown variant. Usually invalid input data.

#### Types

nil Special type for zero in type file.

time-based The DCE time based.

DCE The DCE time and MAC Address.

name-based RFC 4122 md5sum hash.

random RFC 4122 random.

sha1-based RFC 4122 sha-1 hash.

unknown    Unknown type. Usually invalid input data.

## OPTIONS

`-J, --json`

Use JSON output format.

`-n, --noheadings`

Do not print a header line.

`-o, --output`

Specify which output columns to print. Use `--help` to get a list of all supported columns.

`-r, --raw`

Use the raw output format.

`-V, --version`

Display version information and exit.

`-h, --help`

Display help text and exit.

## AUTHORS

Sami Kerola [kerolasa@iki.fi](mailto:kerolasa@iki.fi)

## SEE ALSO

[uuidgen\(1\)](#), [libuuid\(3\)](#), [RFC 4122](#) [?https://tools.ietf.org/html/rfc4122?](https://tools.ietf.org/html/rfc4122)

## AVAILABILITY

The example command is part of the `util-linux` package and is available from Linux Kernel Archive [?https://www.kernel.org/pub/linux/utils/util-linux/?](https://www.kernel.org/pub/linux/utils/util-linux/).

`util-linux`

2017-06-18

`UUIDPARSE(1)`