



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'virt-host-validate.1'***

**C:\>man virt-host-validate.1**

VIRT-HOST-VALIDATE(1)      Virtualization Support      VIRT-HOST-VALIDATE(1)

### NAME

virt-host-validate - validate host virtualization setup

### SYNOPSIS

virt-host-validate [OPTIONS...] [HV-TYPE]

### DESCRIPTION

This tool validates that the host is configured in a suitable way to run libvirt hypervisor drivers. If invoked without any arguments it will check support for all hypervisor drivers it is aware of. Optionally it can be given a particular hypervisor type (qemu, lxc or bhyve) to restrict the checks to those relevant for that virtualization technology

### OPTIONS

-v, --version

Display the command version

-h, --help

Display the command line help

-q, --quiet

Don't display details of individual checks being performed. Only display output if a check does not pass.

### EXIT STATUS

Upon successful validation, an exit status of 0 will be set. Upon failure a non-zero status will be set.

## AUTHOR

Daniel P. Berrang?

## BUGS

Please report all bugs you discover. This should be done via either:

1. the mailing list

<https://libvirt.org/contact.html>

2. the bug tracker

<https://libvirt.org/bugs.html>

Alternatively, you may report bugs to your software distributor / vendor.

## COPYRIGHT

Copyright (C) 2012 by Red Hat, Inc.

## LICENSE

virt-host-validate is distributed under the terms of the GNU GPL v2+. This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE

## SEE ALSO

virsh(1), virt-pki-validate(1), virt-xml-validate(1), <https://libvirt.org/>

VIRT-HOST-VALIDATE(1)