



**Rocky Enterprise Linux 9.2 Manual Pages on command 'wcscopy.3'**

**C:~>man wcscopy.3**

WCSCPYP(3)                   Linux Programmer's Manual                   WCSCPYP(3)

**NAME**

wcscopy - copy a wide-character string

**SYNOPSIS**

```
#include <wchar.h>

wchar_t *wcscopy(wchar_t *dest, const wchar_t *src);
```

**DESCRIPTION**

The wcscopy() function is the wide-character equivalent of the strcpy(3) function. It copies the wide-character string pointed to by src, including the terminating null wide character (L'\0'), to the array pointed to by dest. The strings may not overlap. The programmer must ensure that there is room for at least wcslen(src)+1 wide characters at dest.

**RETURN VALUE**

wcscopy() returns dest.

**ATTRIBUTES**

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcscopy() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

## SEE ALSO

strcpy(3), wcpcpy(3), wscat(3), wcsdup(3), wmemcpy(3)

## COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSCP(3)