



Rocky Enterprise Linux 9.2 Manual Pages on command 'who.1'

C:~>man who.1

WHO(1) User Commands WHO(1)

NAME

who - show who is logged on

SYNOPSIS

who [OPTION]... [FILE | ARG1 ARG2]

DESCRIPTION

Print information about users who are currently logged in.

-a, --all

same as -b -d --login -p -r -t -T -u

-b, --boot

time of last system boot

-d, --dead

print dead processes

-H, --heading

print line of column headings

--ips print ips instead of hostnames. with --lookup, canonicalizes based on stored

IP, if available, rather than stored hostname

-l, --login

print system login processes

--lookup

attempt to canonicalize hostnames via DNS

-m only hostname and user associated with stdin

-p, --process

print active processes spawned by init

-q, --count

all login names and number of users logged on

-r, --runlevel

print current runlevel

-s, --short

print only name, line, and time (default)

-t, --time

print last system clock change

-T, -w, --mesg

add user's message status as +, - or ?

-u, --users

list users logged in

--message

same as -T

--writable

same as -T

--help display this help and exit

--version

output version information and exit

If FILE is not specified, use /var/run/utmp. /var/log/wtmp as FILE is common. If

ARG1 ARG2 given, -m presumed: 'am i' or 'mom likes' are usual.

AUTHOR

Written by Joseph Arceneaux, David MacKenzie, and Michael Stone.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO

WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation at: <<https://www.gnu.org/software/coreutils/who>>

or available locally via: info '(coreutils) who invocation'

GNU coreutils 8.30

September 2019

WHO(1)