



Rocky Enterprise Linux 9.2 Manual Pages on command 'wmemmove.3'

C:\>man wmemmove.3

WMEMMOVE(3) Linux Programmer's Manual WMEMMOVE(3)

NAME

wmemmove - copy an array of wide-characters

SYNOPSIS

```
#include <wchar.h>
```

```
wchar_t *wmemmove(wchar_t *dest, const wchar_t *src, size_t n);
```

DESCRIPTION

The `wmemmove()` function is the wide-character equivalent of the `memmove(3)` function. It copies `n` wide characters from the array starting at `src` to the array starting at `dest`. The arrays may overlap.

The programmer must ensure that there is room for at least `n` wide characters at `dest`.

RETURN VALUE

`wmemmove()` returns `dest`.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?wmemmove() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

memmove(3), wmemcpy(3)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2015-08-08

WMEMMOVE(3)