



Rocky Enterprise Linux 9.2 Manual Pages on command 'xkbprint.1'

C:\>man xkbprint.1

XKBPRINT(1) General Commands Manual XKBPRINT(1)

NAME

xkbprint - print an XKB keyboard description

SYNOPSIS

xkbprint [options] source [output_file]

DESCRIPTION

The `xkbprint` command generates a printable or encapsulated PostScript description of the XKB keyboard description specified by `source`. The `source` can be any compiled keymap (.xkm) file that includes a geometry description or an X display specification. If an `output_file` is specified, `xkbprint` writes to it. If no `output_file` is specified, `xkbprint` creates replaces the extension of the `source` file with `.ps` or `.eps` depending on the requested format. If the `source` is a non-local X display (e.g.:0), `xkbprint` appends the appropriate prefix to the display specification, replacing the colon with a dash. For a local display, `xkbprint` uses `server-n` where `n` is the number of the display.

OPTIONS

-?, -help

Prints a usage message.

-color Print using the colors specified in the geometry file; by default,

`xkbprint` prints a black-and-white image of the keyboard.

-dfmts Attempt to compute default names for any missing components, such as keys.

-diffs Show symbols only where they are explicitly bound.

-eps Generate an encapsulated PostScript file.

-fit Fit the keyboard image on the page (default).

-full Print the keyboard at full size.

-grid res
Print a grid with res mm resolution over the keyboard.

-if fontName
Specifies an internal PostScript type 1 font to dump to the specified out? put file or to fontName.pfa, if no output file is specified. No keyboard description is printed if an internal font is dumped.

-label type
Specifies the labels to be printed on keys; valid types are: none, name, code, and symbols.

-lc <locale>
Specifies a locale in which KeySyms should be resolved.

-level1 Generate level 1 PostScript.

-level2 Generate level 2 PostScript.

-lg group
Print symbols in keyboard groups starting from group.

-ll level
Print symbols starting from shift level level.

-mono Generate black-and-white image of keyboard (default).

-n num Print num copies.

-nkg num
Print the symbols in num keyboard groups.

-npg num
Number of keyboard images to print on each page; for EPS files, this specifies the total number of keyboard images to print.

-o file Write output to file.

-Rdirectory
Use directory as the root directory; all path names are interpreted relative to directory.

-pict which
Controls use of pictographs instead of keysym names where available. which

can be any of all, none, or common (default).

-synch Forces synchronization for X requests.

-version

Print out the program version and exit.

-w level

Sets warning level (0 for no warning, 10 for all warnings).

SEE ALSO

X(7), xkbcomp(1)

COPYRIGHT

Copyright 1995, Silicon Graphics Computer Systems Copyright 1995, 1998 The Open Group

See X(7) for a full statement of rights and permissions.

AUTHOR

Erik Fortune, Silicon Graphics

X Version 11

xkbprint 1.0.5

XKBPRINT(1)