



Windows PowerShell Get-Help on Cmdlet 'Add-AzApplicationGatewayHttpListenerCustomError'

PS:\>Get-HELP Add-AzApplicationGatewayHttpListenerCustomError -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Add-AzApplicationGatewayHttpListenerCustomError

SYNOPSIS

Adds a custom error to a http listener of an application gateway.

SYNTAX

```
Add-AzApplicationGatewayHttpListenerCustomError -CustomErrorPageUrl <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -HttpListener  
<Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener> -StatusCode <System.String>  
[<CommonParameters>]
```

DESCRIPTION

The Add-AzApplicationGatewayCustomError cmdlet adds a custom error to a http listener of an application gateway.

PARAMETERS

-CustomErrorPageUrl <System.String>

Error page URL of the application gateway customer error.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener>

The Application Gateway Http Listener

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-StatusCode <System.String>

Status code of the application gateway customer error.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayCustomError

NOTES

----- Example 1: Adds custom error to http listener level -----

```
$customError502Url = "https://mycustomerrorpages.blob.core.windows.net/errorpages/502.htm"
```

```
$updatedlistener = Add-AzApplicationGatewayHttpListenerCustomError -HttpListener $listener01 -StatusCode  
HttpStatus502 -CustomErrorPageUrl $customError502Url
```

This command adds a custom error of http status code 502 to the http listener \$listener01, and return the updated listener.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/add-azapplicationgatewayhttplistenercustomerror>

Get-AzApplicationGatewayHttpListenerCustomError

Remove-AzApplicationGatewayHttpListenerCustomError

Set-AzApplicationGatewayHttpListenerCustomError