



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Add-AzlotHubEventHubConsumerGroup'

PS:\>Get-HELP Add-AzlotHubEventHubConsumerGroup -Full

NAME

Add-AzlotHubEventHubConsumerGroup

SYNOPSIS

Creates an eventhub consumer group.

SYNTAX

```
Add-AzlotHubEventHubConsumerGroup [-ResourceGroupName] <System.String> [-Name] <System.String>
[-EventHubConsumerGroupName] <System.String> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

Creates a consumer group in the Eventhub associated with the specified IoTHub.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

Page 1/4

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-EventHubConsumerGroupName <System.String>

Name of the EventHub ConsumerGroup that you want to add.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Name of the IoT Hub

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of the Resource Group.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.String

NOTES

-- Example 1: Add a consumer group to the telemetry eventhub --

```
Add-AzIoTHubEventHubConsumerGroup -ResourceGroupName "myresourcegroup" -Name "myiothub"  
-EventHubConsumerGroupName "myconsumergroup"
```

Adds a new consumergroup named "myconsumergroup" to the eventhub for telemetry events in the iothub named "myiothub"

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.iothub/add-aziothubeventhubconsumergroup>