



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Clear-AzContext'***

**PS:\>Get-HELP Clear-AzContext -Full**

#### **NAME**

Clear-AzContext

#### **SYNOPSIS**

Remove all Azure credentials, account, and subscription information.

#### **SYNTAX**

Clear-AzContext  <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Force] [-PassThru] [-Scope {Process   CurrentUser}] [-Confirm] [-WhatIf] [<CommonParameters>]	[-DefaultProfile
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

#### **DESCRIPTION**

Remove all Azure Credentials, account, and subscription information.

#### **PARAMETERS**

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [Page 1/4]

The credentials, tenant and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Delete all users and groups from the global scope without prompting

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Return a value indicating success or failure

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Scope <Microsoft.Azure.Commands.Profile.Common.ContextModificationScope>

Clear the context only for the current PowerShell session, or for all sessions.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

None

## OUTPUTS

System.Boolean

## NOTES

----- Example 1: Clear global context -----

`Clear-AzContext -Scope CurrentUser`

Remove all account, subscription, and credential information for any powershell session.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.accounts/clear-azcontext>