



Windows PowerShell Get-Help on Cmdlet 'Clear-AzRedisCache'

PS:\>Get-HELP Clear-AzRedisCache -Full

NAME

Clear-AzRedisCache

SYNOPSIS

Flush all data from an Azure Cache for Redis instance.

SYNTAX

```

Clear-AzRedisCache [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -InputObject
<Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Clear-AzRedisCache [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name
<System.String>
[-PassThru] [-ResourceGroupName <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Clear-AzRedisCache [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-PassThru]

```

-ResourceId

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Clear-AzRedisCache cmdlet flushes all data of an Azure Redis Cache instance.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes>

Object of type RedisCacheAttributes

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of redis cache.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a Boolean that indicates whether the operation succeeds. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of resource group under which cache exists.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

ARM Id of Redis Cache

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Boolean

NOTES

----- Example: Flush all data from a redis cache -----

```
Clear-AzRedisCache -ResourceGroupName "ResourceGroup13" -Name "RedisCache06"
```

This command flushes all data from the redis cache named RedisCache06 in the resource group named ResourceGroup13.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.rediscache/clear-azrediscache>