



Windows PowerShell Get-Help on Cmdlet 'Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline'

PS:\>Get-HELP Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline -Full

NAME

Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline

SYNOPSIS

Clears the vulnerability assessment rule baseline.

SYNTAX

```
Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline [-ResourceGroupName] <System.String> [-ServerName]
<System.String> [-DatabaseName] <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-InputObject
    <Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel>] [-RuleAppliesToMaster] -RuleId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline cmdlet removes the vulnerability assessment rule baseline. Note that you need to run

Enable-AzSqlServerAdvancedDataSecurity and Update-AzSqlServerVulnerabilityAssessmentSetting cmdlets as a

prerequisite for using this cmdlets.

PARAMETERS

`-DatabaseName <System.String>`

SQL Database name.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

`-InputObject <Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel>`

The database object to clear Vulnerability Assessment rule baseline for

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

`-ResourceGroupName <System.String>`

The name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RuleAppliesToMaster <System.Management.Automation.SwitchParameter>

Specifies that the baseline should apply to the master database. This is required only when database level settings specify a storage account that is different from the one specified in the server level settings.

Required? false
Position? named
Default value False
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RuleId <System.String>

The rule ID which identifies the rule to set the baseline results to.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ServerName <System.String>

SQL Database server name.

Required? true
Position? 1
Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

System.Management.Automation.SwitchParameter

OUTPUTS

Microsoft.Azure.Commands.Sql.VulnerabilityAssessment.Model.DatabaseVulnerabilityAssessmentRuleBaselineModel

NOTES

- Example 1: Clears the vulnerability assessment rule baseline -

Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline `

-ResourceGroupName "ResourceGroup01" `

-ServerName "Server01" `

-DatabaseName "Database01" `

-RuleId "VA2108"

Example 2: Clears the vulnerability assessment rule baseline from a database object

Get-AzSqlDatabase `

-ResourceGroupName "ResourceGroup01" `

-ServerName "Server01" `

-DatabaseName "Database01" `

| Clear-AzSqlDatabaseVulnerabilityAssessmentRuleBaseline `

-RuleId "VA2108" `

-RuleAppliesToMaster

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.sql/clear-azsqldatabasevulnerabilityassessmentrulebaseline>