MyWebUniversity*







Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Clear-UevAppxPackage'

PS C:\Users\wahid> Get-Help Clear-UevAppxPackage

NAME

Clear-UevAppxPackage

SYNOPSIS

Clears a setting in the computer or user sections of the registry.

SYNTAX

Clear-UevAppxPackage -All -Computer [-Confirm] [-Whatlf] [<CommonParameters>]

Clear-UevAppxPackage -All [-Confirm] [-CurrentComputerUser] [-Whatlf]

[<CommonParameters>]

Clear-UevAppxPackage [-PackageFamilyName] < String[] > -Computer [-Confirm]

[-WhatIf] [<CommonParameters>]

Clear-UevAppxPackage [-PackageFamilyName] < String[]> [-Confirm]

[-CurrentComputerUser] [-WhatIf] [<CommonParameters>]

The Clear-UevAppxPackage cmdlet clears a setting in the computer or user sections of the registry that enables or disables the Microsoft User Experience Virtualization (UE-V) synchronization of Windowsr 8 apps. If you do not specify the Computer or CurrentComputerUser parameter, the cmdlet clears the setting for the package families for the current user.

PARAMETERS

-All [<SwitchParameter>]

Indicates that the cmdlet clears all of the computer or user settings for the package families that you specify.

-Computer [<SwitchParameter>]

Indicates that the cmdlet clears the setting for package families that you specify for all users on the computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-CurrentComputerUser [<SwitchParameter>]

Indicates that the cmdlet clears the setting for the package families that you specify for the current user on the computer.

-PackageFamilyName <String[]>

Specifies an array of names of package families. The cmdlet clears the setting for the package families of Windows 8 apps that you specify.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove Windows 8 apps ------

PS C:\>Clear-UevAppxPackage -Computer -All

This command removes all Windows 8 apps from the Windows 8 app list on the computer.

REMARKS

To see the examples, type: "get-help Clear-UevAppxPackage -examples".

For more information, type: "get-help Clear-UevAppxPackage -detailed".

For technical information, type: "get-help Clear-UevAppxPackage -full".

For online help, type: "get-help Clear-UevAppxPackage -online"