



Windows PowerShell Get-Help on Cmdlet 'Complete-AzSqlInstanceDatabaseMove'

PS:\>Get-HELP Complete-AzSqlInstanceDatabaseMove -Full

NAME

Complete-AzSqlInstanceDatabaseMove

SYNOPSIS

Complete online move operation of a managed database.

SYNTAX

```
Complete-AzSqlInstanceDatabaseMove [-AsJob] -DatabaseName <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
-InstanceName <System.String> [-PassThru] -ResourceGroupName
    <System.String> -TargetInstanceName <System.String> [-TargetResourceGroupName <System.String>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Complete-AzSqlInstanceDatabaseMove [-AsJob] [-DatabaseName <System.String>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
[-InstanceName <System.String>] -MoveCopyOperationObject
    <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation> [-PassThru]
[-ResourceGroupName <System.String>] [-Confirm] [-WhatIf]
    [<CommonParameters>]
```

```

Complete-AzSqlInstanceDatabaseMove [-AsJob] -DatabaseObject
<Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
-InstanceName <System.String> [-PassThru] -ResourceGroupName
    <System.String> -TargetInstanceName <System.String> [-TargetResourceGroupName <System.String>] [-Confirm]
[-WhatIf] [<CommonParameters>]

```

```

Complete-AzSqlInstanceDatabaseMove [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
    -InstanceName <System.String> [-PassThru] -ResourceGroupName <System.String> -ResourceId <System.String>
-TargetInstanceName <System.String> [-TargetResourceGroupName
    <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Complete-AzSqlInstanceDatabaseMove [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
    -MoveModelObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel>
[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

The Complete-AzSqlInstanceDatabaseMove cmdlet complete move operation of a database between two Azure SQL Managed Instances. Destination database will become online and ready for read/write workloads and source database will be dropped.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DatabaseName <System.String>

Name of the instance database.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DatabaseObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel>

Managed database object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InstanceName <System.String>
Name of the source instance.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-MoveCopyOperationObject

<Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation>
Managed database move or copy operation object.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-MoveModelObject <Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel>
Object that is returned from start move operation.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Signal to receive output from a cmdlet which does not return anything

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of the source resource group.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource id of managed database.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TargetInstanceName <System.String>

Name of the target Azure SQL Managed Instance.

Required? true

Position? named

Default value None
Accept pipeline input? False
Accept wildcard characters? false

-TargetResourceGroupName <System.String>

Name of the target resource group.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.MoveCopyManagedDatabaseModel

System.String

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.AzureSqlManagedDatabaseModel

Microsoft.Azure.Commands.Sql.ManagedDatabase.Model.ManagedDatabaseMoveCopyOperation

OUTPUTS

System.Boolean

NOTES

Example 1: Complete move database to another Managed Instance in the same resource group

```
Complete-AzSqlInstanceDatabaseMove -ResourceGroupName RG1 -InstanceName MI1 -Name database1  
-TargetInstanceName MI2
```

This command completes move operation of database1 on instance MI1 to instance MI2

Example 2: Complete move database to another Managed Instance in the different resource group

```
Complete-AzSqlInstanceDatabaseMove -ResourceGroupName RG1 -InstanceName MI1 -Name database1  
-TargetResourceGroupName RG2 -TargetInstanceName MI2
```

This command completes move operation of database1 on instance MI1 in resource group RG1 to instance MI2 in resource group RG2

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/complete-azsqlinstancedatabasemove>

Stop-AzSqlInstanceDatabaseMove

Get-AzSqlInstanceDatabaseMoveOperation

Move-AzSqlInstanceDatabase