



Windows PowerShell Get-Help on Cmdlet 'Convert-AzNetworkWatcherClassicConnectionMonitor'

PS:\>Get-HELP Convert-AzNetworkWatcherClassicConnectionMonitor -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Convert-AzNetworkWatcherClassicConnectionMonitor

SYNOPSIS

Convert a classic connection monitor into connection monitor v2 with specified name.

SYNTAX

```

Convert-AzNetworkWatcherClassicConnectionMonitor [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
    <System.String> -NetworkWatcherName <System.String> -ResourceGroupName <System.String>
[<CommonParameters>]
```

DESCRIPTION

The Convert-AzNetworkWatcherClassicConnectionMonitor cmdlet returns the connection monitor V2 with the specified

name corresponding to the specified network watcher
and resource group.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The classic connection monitor name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? true

-NetworkWatcherName <System.String>

The name of network watcher.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the network watcher resource group.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSConnectionMonitorResultV1

Microsoft.Azure.Commands.Network.Models.PSConnectionMonitorResultV2

NOTES

```
$nw = Get-AzResource | Where-Object {$_.ResourceType -eq "Microsoft.Network/networkWatchers" -and $_.Location -eq "centraluseuap" }
```

```
Convert-AzNetworkWatcherClassicConnectionMonitor -NetworkWatcherName $nw.Name -ResourceGroupName $nw.ResourceGroupName -Name "classicCm1"
```

Migration is successful.

Passing the classic connection monitor name and corresponding network watcher name and its resource group name.

----- Example 2 -----

```
$nw = Get-AzResource | Where-Object {$_.ResourceType -eq "Microsoft.Network/networkWatchers" -and $_.Location -eq "centraluseuap" }
```

```
Convert-AzNetworkWatcherClassicConnectionMonitor -NetworkWatcherName $nw.Name -ResourceGroupName $nw.ResourceGroupName -Name "testCmv2"
```

This Connection Monitor is already V2

Passing the V2 connection monitor name and corresponding network watcher name and its resource group name.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/convert-aznetworkwatcherclassicconnectionmonitor>