



Windows PowerShell Get-Help on Cmdlet 'Copy-BcdEntry'

PS:\>Get-HELP Copy-BcdEntry -Full

NAME

Copy-BcdEntry

SYNTAX

```
Copy-BcdEntry [-SourceEntryId] <string> -TargetStore <BcdStoreInfo[]> [-Description <string>] [-SourceStore
<BcdStoreInfo>] [-Force] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

```
Copy-BcdEntry [-SourceEntry] <BcdEntryInfo> -TargetStore <BcdStoreInfo[]> [-Description <string>] [-Force] [-WhatIf]
[-Confirm] [<CommonParameters>]
```

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	cf

Dynamic? false

-Description <string>

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-Force

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-SourceEntry <BcdEntryInfo>

Required? true

Position? 0

Accept pipeline input? false

Parameter set name Entry

Aliases None

Dynamic? false

-SourceEntryId <string>

Required? true

Position? 0

Accept pipeline input? false
Parameter set name Id
Aliases None
Dynamic? false

-SourceStore <BcdStoreInfo>

Required? false
Position? Named
Accept pipeline input? false
Parameter set name Id
Aliases None
Dynamic? false

-TargetStore <BcdStoreInfo[]>

Required? true
Position? Named
Accept pipeline input? false
Parameter set name Entry, Id
Aliases None
Dynamic? false

-WhatIf

Required? false
Position? Named
Accept pipeline input? false
Parameter set name (All)
Aliases wi
Dynamic? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

None

OUTPUTS

Microsoft.Windows.Bcd.Cmdlets.BcdExtensions.BcdEntryInfo

ALIASES

None

REMARKS

None