



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Disable-AppBackgroundTaskDiagnosticLog'

PS:\>Get-HELP Disable-AppBackgroundTaskDiagnosticLog -Full

NAME

Disable-AppBackgroundTaskDiagnosticLog

SYNOPSIS

Disables background task logging in Event Viewer.

SYNTAX

Disable-AppBackgroundTaskDiagnosticLog [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Disable-AppBackgroundTaskDiagnosticLog cmdlet disables background task logging in Event Viewer. You must have administrator access to disable background task logging.

PARAMETERS

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

NOTES

----- Example 1: Disable background task logging -----

```
PS C:\> Disable-AppBackgroundTaskDiagnosticLog
```

This command turns off background task logging in Event Viewer.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/appbackgroundtask/disable-appbackgroundtaskdiagnosticlog?view=windows-server2022-ps&wt.mc_id=ps-gethelp

[Enable-AppBackgroundTaskDiagnosticLog](#)