



Windows PowerShell Get-Help on Cmdlet 'Disable-AzContextAutosave'

PS:\>Get-HELP Disable-AzContextAutosave -Full

NAME

Disable-AzContextAutosave

SYNOPSIS

Turn off autosaving Azure credentials. Your login information will be forgotten the next time you open a PowerShell window

SYNTAX

```
Disable-AzContextAutosave [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Scope {Process |  
CurrentUser}]  
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Turn off autosaving Azure credentials. Your login information will be forgotten the next time you open a PowerShell window

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, tenant and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Scope <Microsoft.Azure.Commands.Profile.Common.ContextModificationScope>

Determines the scope of context changes, for example, whether changes apply only to the current process, or to all sessions started by this user

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Common.Authentication.ContextAutosaveSettings

NOTES

----- Example 1: Disable autosaving the context -----

Disable-AzContextAutosave

Disable autosave for the current user.

----- Example 2 -----

Disable-AzContextAutosave -Scope Process

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.accounts/disable-azcontextautosave>