



Windows PowerShell Get-Help on Cmdlet 'Disable-AzSqlInstanceAdvancedDataSecurity'

PS:\>Get-HELP Disable-AzSqlInstanceAdvancedDataSecurity -Full

NAME

Disable-AzSqlInstanceAdvancedDataSecurity

SYNOPSIS

Disables Advanced Data Security on a managed instance.

SYNTAX

```
Disable-AzSqlInstanceAdvancedDataSecurity [-ResourceGroupName] <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InputObject  
    <Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel>] -InstanceName  
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Disable-AzSqlInstanceAdvancedDataSecurity cmdlet disables Advanced Data Security on a managed instance.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-InputObject <Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel>

The managed instance object to use with Advanced Data Security policy operation

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-InstanceName <System.String>

SQL Database managed instance name.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-ResourceGroupName <System.String>

The name of the resource group.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.AdvancedThreatProtection.Model.ManagedInstanceAdvancedDataSecurityPolicyModel

NOTES

- Example 1 - Disable managed instance Advanced Data Security -

Disable-AzSqlInstanceAdvancedDataSecurity `

-ResourceGroupName "ResourceGroup01" `

-InstanceName "ManagedInstance01"

ResourceGroupName : ResourceGroup01

ManagedInstanceName : ManagedInstance01

IsEnabled : False

Example 2 - Disable server Advanced Data Security from managed instance resource

Get-AzSqlInstance `

-ResourceGroupName "ResourceGroup01" `

-Name "ManagedInstance01" `

| Disable-AzSqlInstanceAdvancedDataSecurity

ResourceGroupName : ResourceGroup01

ManagedInstanceName : ManagedInstance01

IsEnabled : False

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/disable-azsqlinstanceadvanceddatasecurity>