



## ***Windows PowerShell Get-Help on Cmdlet 'Disable-AzSqlServerAdvancedDataSecurity'***

***PS:\>Get-HELP Disable-AzSqlServerAdvancedDataSecurity -Full***

### NAME

Disable-AzSqlServerAdvancedDataSecurity

### SYNOPSIS

Disables Advanced Data Security on a server.

### SYNTAX

```
Disable-AzSqlServerAdvancedDataSecurity [-ResourceGroupName] <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InputObject  
<Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel>] -ServerName <System.String> [-Confirm]  
[-WhatIf] [<CommonParameters>]
```

### DESCRIPTION

The Disable-AzSqlServerAdvancedDataSecurity cmdlet disables Advanced Data Security on a server.

### PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel>

The server object to use with Advanced Data Security policy operation

Required? false  
Position? named  
Default value None  
Accept pipeline input? True (ByValue)  
Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-ServerName <System.String>

SQL Database server name.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

#### INPUTS

Microsoft.Azure.Commands.Sql.Server.Model.AzureSqlServerModel

System.String

## OUTPUTS

Microsoft.Azure.Commands.Sql.AdvancedThreatProtection.Model.ServerAdvancedDataSecurityPolicyModel

## NOTES

----- Example 1: Disable server Advanced Data Security -----

```
Disable-AzSqlServerAdvancedDataSecurity `
```

```
    -ResourceGroupName "ResourceGroup01" `
```

```
    -ServerName "Server01"
```

```
ResourceGroupName      : ResourceGroup01
```

```
ServerName             : Server01
```

```
IsEnabled              : False
```

Example 2: Disable server Advanced Data Security from server resource

```
Get-AzSqlServer `
```

```
    -ResourceGroupName "ResourceGroup01" `
```

```
    -ServerName "Server01" `
```

```
    | Disable-AzSqlServerAdvancedDataSecurity
```

```
ResourceGroupName      : ResourceGroup01
```

```
ServerName             : Server01
```

IsEnabled : False

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/disable-azsqlserveradvanceddatasecurity>