



Windows PowerShell Get-Help on Cmdlet 'Disable-AzTrafficManagerEndpoint'

PS:\>Get-HELP Disable-AzTrafficManagerEndpoint -Full

NAME

Disable-AzTrafficManagerEndpoint

SYNOPSIS

Disables an endpoint in a Traffic Manager profile.

SYNTAX

```

                                Disable-AzTrafficManagerEndpoint                                [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] -Name
    <System.String> -ProfileName <System.String> -ResourceGroupName <System.String> -Type {AzureEndpoints |
ExternalEndpoints | NestedEndpoints} [-Confirm] [-WhatIf]
    [<CommonParameters>]
  
```

```

                                Disable-AzTrafficManagerEndpoint                                [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
    -TrafficManagerEndpoint <Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerEndpoint> [-Confirm]
    [-WhatIf] [<CommonParameters>]
  
```

DESCRIPTION

The Disable-AzTrafficManagerEndpoint cmdlet disables an endpoint in an Azure Traffic Manager profile.

You can use the pipeline operator to pass a TrafficManagerEndpoint object to this cmdlet, or you can pass a TrafficManagerEndpoint object using the TrafficManagerEndpoint parameter.

Alternatively, you can specify the endpoint name and type by using the Name and Type parameters, together with the ProfileName and ResourceGroupName parameters.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the Traffic Manager endpoint that this cmdlet disables.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ProfileName <System.String>

Specifies the name of a Traffic Manager profile in which this cmdlet disables an endpoint. To obtain a profile, use the `Get-AzTrafficManagerProfile` cmdlet.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Specifies the name of a resource group. This cmdlet disables a Traffic Manager endpoint in the group that this parameter specifies.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-TrafficManagerEndpoint <Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerEndpoint>

Specifies the Traffic Manager endpoint that this cmdlet disables. To obtain a `TrafficManagerEndpoint` object, use the `Get-AzTrafficManagerEndpoint` cmdlet.

Required?	true
Position?	named
Default value	None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Type <System.String>

Specifies the type of endpoint that this cmdlet adds to the Traffic Manager profile. Valid values are:

- AzureEndpoints

- ExternalEndpoints

- NestedEndpoints

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerEndpoint

OUTPUTS

System.Boolean

NOTES

----- Example 1: Disable an endpoint by name -----

```
Disable-AzTrafficManagerEndpoint -Name "contoso" -ProfileName "ContosoProfile" -ResourceGroupName  
ResourceGroup11 -Type ExternalEndpoints
```

This command disables the external endpoint named contoso in the profile named ContosoProfile in resource group ResourceGroup11. The command prompts you for confirmation.

----- Example 2: Disable an endpoint by using the pipeline -----

```
Get-AzTrafficManagerEndpoint -Name "contoso" -Type ExternalEndpoints -ProfileName "ContosoProfile"  
-ResourceGroupName "ResourceGroup11" |  
Disable-AzTrafficManagerEndpoint -Force
```

This command gets the external endpoint named Contoso from the profile named ContosoProfile in ResourceGroup11. The command then passes that endpoint to the

Disable-AzTrafficManagerEndpoint cmdlet by using the pipeline operator. That cmdlet disables that endpoint. The command specifies the Force parameter. Therefore, it does not prompt you for confirmation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.trafficmanager/disable-aztrafficmanagerendpoint>

Enable-AzTrafficManagerEndpoint

Get-AzTrafficManagerEndpoint

Get-AzTrafficManagerProfile

New-AzTrafficManagerEndpoint

New-AzTrafficManagerProfile

Remove-AzTrafficManagerEndpoint

Set-AzTrafficManagerProfile