



### *Windows PowerShell Get-Help on Cmdlet 'Disable-NetAdapterSriov'*

***PS:\>Get-HELP Disable-NetAdapterSriov -Full***

#### NAME

Disable-NetAdapterSriov

#### SYNOPSIS

Disables SR-IOV on a network adapter.

#### SYNTAX

```
Disable-NetAdapterSriov [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-IncludeHidden]
[-NoRestart] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

```
Disable-NetAdapterSriov [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-IncludeHidden] -InterfaceDescription
<String[]> [-NoRestart] [-PassThru] [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

```
Disable-NetAdapterSriov [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-NoRestart]
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

## DESCRIPTION

The Disable-NetAdapterSriov cmdlet disables Single-Root I/O Virtualization (SR-IOV) on a network adapter. SR-IOV enables network traffic to bypass the software switch

layer of the Hyper-V virtualization stack. As a result, the I/O overhead in the software emulation layer is reduced and can achieve network performance that is nearly

the same performance as in non-virtualized environments.

This cmdlet prevents the adapter from using SR-IOV until enabled again. While SR-IOV is disabled, Windows Server 2012 and later does not attempt to allocate a

virtual function to a virtual machine . If virtual functions from this network adapter are allocated to any virtual machine, then the virtual functions are revoked

and each virtual machine interface reverted to the synthetic network path.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that

represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `\*-Job`

cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet. For more information about Windows PowerShell

background jobs, see about\_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the

output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### -Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### -IncludeHidden [<SwitchParameter>]

Indicates that the cmdlet includes both visible and hidden network adapters in the operation. By default only visible network adapters are included. If a wildcard

character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible network adapters.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### **-InputObject <CimInstance[]>**

Specifies the input to this cmdlet. You can use this parameter, or you can pipe the input to this cmdlet.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

#### **-InterfaceDescription <String[]>**

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter

followed by a part number and description, such as `"Contoso 12345 Gigabit Network Device"`.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### **-Name <String[]>**

Specifies an array of network adapter names.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### **-NoRestart [<SwitchParameter>]**

Indicates that the cmdlet does not restart the network adapter after completing the operation. Many advanced properties require restarting the network adapter

before the new settings take effect.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-PassThru [<SwitchParameter>]`

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

#### INPUTS

Microsoft.Management.Infrastructure.CimInstance#ROOT/StandardCimv2/MSFT\_NetAdapterSriovSettingData[]

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

#### OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#ROOT/StandardCimv2/MSFT\_NetAdapterSriovSettingData

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the pound sign (`#`) provides the namespace and class name for the underlying WMI object.

The output object contains the network adapter object with SR-IOV disabled.

#### NOTES

-- Example 1: Disable SR-IOV on the specified network adapter --

```
PS C:\> Disable-NetAdapterSriov -Name "Ethernet 1"
```

This command disables SR-IOV on the network adapter named Ethernet 1 and restarts the network adapter.

-- Example 2: Disable SR-IOV on the specified network adapter --

```
PS C:\> $NetAdapter2 = Get-NetAdapter -Name "Ethernet 2"
Disable-NetAdapterSriov -InputObject $NetAdapter2
```

A version of the cmdlet that uses the pipeline to select the network adapter named Ethernet 2 and pipes that object into this cmdlet.

```
PS C:\> Get-NetAdapter -Name "Ethernet 2" | Disable-NetAdapterSriov
```

The first command gets the network adapter named Ethernet 2 and stores the result in the variable named \$NetAdapter2.

The second command disables the SR-IOV adapter stored in the \$NetAdapter variable.

Example 3: Disable SR-IOV on the specified network and do not restart it

```
PS C:\> Disable-NetAdapterSriov -Name "Ethernet 3" -NoRestart
```

This command disables SR-IOV on the network adapter named Ethernet 3 without restarting the network adapter.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/netadapter/disable-netadaptersriov?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/netadapter/disable-netadaptersriov?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Enable-NetAdapterSriov

Get-NetAdapter

Get-NetAdapterSriov

Get-NetAdapterSriovVf

Get-NetAdapterSriov

