



### ***Windows PowerShell Get-Help on Cmdlet 'Disable-NetIPHttpsProfile'***

***PS:\>Get-HELP Disable-NetIPHttpsProfile -Full***

#### **NAME**

Disable-NetIPHttpsProfile

#### **SYNOPSIS**

Disables the currently active IP-HTTPS profile.

#### **SYNTAX**

Disable-NetIPHttpsProfile [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]

#### **DESCRIPTION**

The Disable-NetIPHttpsProfile cmdlet disables the currently active IP-HTTPS profile.

#### **PARAMETERS**

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### -WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

None

This cmdlet accepts no input objects.

## OUTPUTS

System.Object

This cmdlet outputs an object.

## NOTES

----- Example 1: Disable IP-HTTPS profile -----

```
PS C:\>Disable-NetIPHttpsProfile
```

This command disables the currently active IP-HTTPS profile.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/networktransition/disable-netiphttpsprofile?view=windowsserver2022-ps&wt.](https://learn.microsoft.com/powershell/module/networktransition/disable-netiphttpsprofile?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

[mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/networktransition/disable-netiphttpsprofile?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Enable-NetIPHttpsProfile