



### *Windows PowerShell Get-Help on Cmdlet 'Disable-ScheduledTask'*

**PS:\>Get-HELP Disable-ScheduledTask -Full**

#### NAME

Disable-ScheduledTask

#### SYNOPSIS

Disables a scheduled task.

#### SYNTAX

```
Disable-ScheduledTask [-InputObject] <Microsoft.Management.Infrastructure.CimInstance> [-AsJob] [-CimSession  
<Microsoft.Management.Infrastructure.CimSession[]>]
```

```
[-ThrottleLimit <System.Int32>] [<CommonParameters>]
```

```
Disable-ScheduledTask [-TaskName] <System.String> [[-TaskPath] <System.String>] [-AsJob] [-CimSession  
<Microsoft.Management.Infrastructure.CimSession[]>]
```

```
[-ThrottleLimit <System.Int32>] [<CommonParameters>]
```

#### DESCRIPTION

The `Disable-ScheduledTask` cmdlet disables a scheduled task.

## PARAMETERS

`-AsJob <System.Management.Automation.SwitchParameter>`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

`-CimSession <Microsoft.Management.Infrastructure.CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `Get-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

`-InputObject <Microsoft.Management.Infrastructure.CimInstance>`

Specifies the input object that is used in a pipeline command.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByValue)  
Accept wildcard characters? false

**-TaskName <System.String>**

Specifies the name of a scheduled task.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-TaskPath <System.String>**

Specifies an array of one or more paths for scheduled tasks in Task Scheduler namespace. You can use `` `` for a wildcard character query. You can use ```` for the root folder. To specify a full TaskPath \* you need to include the leading and trailing ````. If you do not specify a path, the cmdlet uses the root folder.

Required? false

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-ThrottleLimit <System.Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT\_ScheduledTask

NOTES

----- Example 1: Disable a scheduled task -----

Disable-ScheduledTask -TaskName 'SystemScan'

TaskPath	TaskName	State
-----	-----	-----
\	SystemScan	Disabled

This command disables the SystemScan task in the root folder.

----- Example 2: Disable all scheduled tasks in a folder -----

Get-ScheduledTask -TaskPath '\UpdateTasks\' | Disable-ScheduledTask

TaskPath	TaskName	State
----------	----------	-------

