



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Disconnect-AzP2SVpnGatewayVpnConnection'

PS:>Get-HELP Disconnect-AzP2SVpnGatewayVpnConnection -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Disconnect-AzP2SVpnGatewayVpnConnection

SYNOPSIS

Disconnect given connected vpn client connections with a given p2s vpn gateway

SYNTAX

Disconnect-AzP2SVpnGatewayVpnConnection [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-InputObject <Microsoft.Azure.Commands.Network.Models.PSP2SVpnGateway> [-PassThru] -VpnConnectionId

<System.String[]> [-Confirm] [-WhatIf] [<CommonParameters>]

Disconnect-AzP2SVpnGatewayVpnConnection [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name

<System.String> [-PassThru] -ResourceGroupName <System.String> -VpnConnectionId <System.String[]> [-Confirm]

[-WhatIf] [<CommonParameters>]

Disconnect-AzP2SVpnGatewayVpnConnection [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-PassThru] -ResourceId <System.String> -VpnConnectionId <System.String[]> [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The Disconnect-AzP2sVpnGatewayVpnConnection cmdlet enables you to disconnect given current point to site connection from P2SVpnGateway.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

The p2s vpn gateway object to be modified

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The resource name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns an object representing the item on which this operation is being performed.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

P2s Virtual network gateway resource Id

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-VpnConnectionId <System.String[]>

Vpn Connection Ids

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSP2SVpnGateway

NOTES

----- Example 1 -----

```
Disconnect-AzP2SVpnGatewayVpnConnection -ResourceName 683482ade8564515aed4b8448c9757ea-westus-gw
-ResourceGroupName P2SCortexGATesting -VpnConnectionId
@("IKEv2_7e1cf59-5c7c-4315-a876-b11fbfdfeed4")
```

Name : 683482ade8564515aed4b8448c9757ea-westus-gw

Id :

/subscriptions/b1f1deed-af60-4bab-9223-65d340462e24/resourceGroups/P2SCortexGATesting/providers/Microsoft.Network/p2sVpnGateways/683482ade8564515a
ed4b8448c9757ea-westus-gw

Location : westus

VpnGatewayScaleUnit : 1

VirtualHub :

/subscriptions/b1f1deed-af60-4bab-9223-65d340462e24/resourceGroups/P2SCortexGATesting/providers/Microsoft.Network/virtualHubs/WestUsVirtualHub

VpnServerConfiguration :

/subscriptions/b1f1deed-af60-4bab-9223-65d340462e24/resourceGroups/P2SCortexGATesting/providers/Microsoft.Network/vpnServerConfigurations/WestUsConfig

VpnServerConfigurationLocation :

VpnClientConnectionHealth : null

Type : Microsoft.Network/p2sVpnGateways

ProvisioningState : Succeeded

P2SConnectionConfigurations : [

{
 "ProvisioningState": "Succeeded",
 "VpnClientAddressPool": {
 "AddressPrefixes": [
 "192.168.2.0/24"
]
 },
 "Name": "P2SConnectionConfigDefault",
 "Etag": "W/"4b96e6a2-b4d8-46b3-9210-76d40f359bef\"",
 "Id": "

k/p2sVpnGateways/683482

ade8564515aed4b8448c9757ea-westus-gw/p2sConnectionConfigurations/P2SConnectionConfigDefault"

}

]

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/disconnect-azp2svpngatewayvpnconnection>