



### ***Windows PowerShell Get-Help on Cmdlet 'Dismount-AppxVolume'***

***PS:\>Get-HELP Dismount-AppxVolume -Full***

#### NAME

Dismount-AppxVolume

#### SYNOPSIS

Dismounts an appx volume.

#### SYNTAX

Dismount-AppxVolume [-Volume] <AppxVolume[]> [-Confirm] [-WhatIf] [<CommonParameters>]

#### DESCRIPTION

The `Dismount-AppxVolume` cmdlet dismounts an AppxVolume . After you dismount a volume, all apps that are deployed to that target become inaccessible.

#### PARAMETERS

-Volume <AppxVolume[]>

Specifies the AppxVolume object to dismount.

Required? true  
Position? 1  
Default value None  
Accept pipeline input? True (ByPropertyName, ByValue)  
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet isn't run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

## NOTES

----- Example 1: Dismount a volume by using a path -----

```
Dismount-AppxVolume -Volume E:\
```

This command dismounts a volume at the path `E:`.

----- Example 2: Dismount a volume by using an ID -----

```
Dismount-AppxVolume -Volume {7e62a691-398e-4fbe-819a-64f1e407777a}
```

This command dismounts a volume that has the specified media ID.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/appx/dismount-appxvolume?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/appx/dismount-appxvolume?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Add-AppxVolume

Get-AppxVolume

Mount-AppxVolume

Remove-AppxVolume