



Windows PowerShell Get-Help on Cmdlet 'Edit-AzRecoveryServicesAsrRecoveryPlan'

PS:\>Get-HELP Edit-AzRecoveryServicesAsrRecoveryPlan -Full

NAME

Edit-AzRecoveryServicesAsrRecoveryPlan

SYNOPSIS

Edits a Site Recovery plan.

SYNTAX

```

                                Edit-AzRecoveryServicesAsrRecoveryPlan                                -AddProtectedItem
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem[]> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Group
                                <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlanGroup>                                -InputObject
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan>
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```

                                Edit-AzRecoveryServicesAsrRecoveryPlan                                -AppendGroup                                [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
                                -InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan> [-Confirm] [-WhatIf]
                                [<CommonParameters>]

```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Group

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlanGroup> -InputObject

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan>

-RemoveProtectedItem <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem[]>

[-Confirm] [-WhatIf] [<CommonParameters>]

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan> -RemoveGroup

<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlanGroup>

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Edit-AzRecoveryServicesAsrRecoveryPlan cmdlet edits an Azure Site Recovery plan.

PARAMETERS

-AddProtectedItem <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem[]>

List of ASR replication protected items to be added to the recovery plan group in the recovery plan object.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AppendGroup <System.Management.Automation.SwitchParameter>

Switch parameter to append a recovery plan group to the recovery plan object.

Required? true

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Group <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlanGroup>

Specifies a recovery plan group.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan>

The ASR recovery plan object to be edited (In memory operation. To update the recovery plan run Update-AzASRRecoveryPlan with the edited recovery plan object.)

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-RemoveGroup <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlanGroup>

Removes the specified group from the recovery plan object.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-RemoveProtectedItem <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRReplicationProtectedItem[]>

List of ASR replication protected items to be removed from the recovery plan group in the recovery plan object.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRecoveryPlan

NOTES

----- Example 1 -----

\$RP = Edit-AzRecoveryServicesAsrRecoveryPlan -RecoveryPlan \$RP -AppendGroup

Appends a group to existing Azure Site Recovery plan and returns the in-memory updated recovery plan.

----- Example 2 -----

<ASRRecoveryPlanGroup> -InputObject \$RP

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/edit-azrecoveryservicesasrrecoveryplan>

Get-AzRecoveryServicesAsrRecoveryPlan

New-AzRecoveryServicesAsrRecoveryPlan