



Windows PowerShell Get-Help on Cmdlet 'Enable-AzBatchJobSchedule'

PS:\>Get-HELP Enable-AzBatchJobSchedule -Full

NAME

Enable-AzBatchJobSchedule

SYNOPSIS

Enables a Batch job schedule.

SYNTAX

Enable-AzBatchJobSchedule [-Id] <System.String> -BatchContext

<Microsoft.Azure.Commands.Batch.BatchAccountContext> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[<CommonParameters>]

DESCRIPTION

The Enable-AzBatchJobSchedule cmdlet enables an Azure Batch job schedule. After you enable a job schedule, jobs can be created according to that schedule.

-BatchContext <Microsoft.Azure.Commands.Batch.BatchAccountContext>

Specifies the BatchAccountContext instance that this cmdlet uses to interact with the Batch service. If you use the Get-AzBatchAccount cmdlet to get your

BatchAccountContext, then Microsoft Entra authentication will be used when interacting with the Batch service. To use shared key authentication instead, use the

Get-AzBatchAccountKey cmdlet to get a BatchAccountContext object with its access keys populated. When using shared key authentication, the primary access key is

used by default. To change the key to use, set the BatchAccountContext.KeyInUse property.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Id <System.String>

Specifies the ID of the job schedule that this cmdlet enables.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName, ByValue)
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

Microsoft.Azure.Commands.Batch.BatchAccountContext

OUTPUTS

System.Void

NOTES

----- Example 1: Enable a job schedule -----

```
Enable-AzBatchJobSchedule -Id "JobSchedule17" -BatchContext $Context
```

This command enables the job schedule that has the ID JobSchedule17. Use the Get-AzBatchAccountKey cmdlet to assign a context to the \$Context variable.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/enable-azbatchjobschedule>

`Disable-AzBatchJobSchedule`

`Get-AzBatchAccountKey`

`Get-AzBatchJobSchedule`

`New-AzBatchJobSchedule`

`Remove-AzBatchJobSchedule`

`Stop-AzBatchJobSchedule`

Azure Batch Cmdlets