



Windows PowerShell Get-Help on Cmdlet 'Enable-AzHDInsightMonitoring'

PS:\>Get-HELP Enable-AzHDInsightMonitoring -Full

NAME

Enable-AzHDInsightMonitoring

SYNOPSIS

Enables the Classic Azure Monitor logs integration on an HDInsight cluster and relevant logs will be sent to the monitoring workspace specified during enable.

SYNTAX

Enable-AzHDInsightMonitoring [-Name] <System.String> [-WorkspaceId] <System.String> [-PrimaryKey] <System.String>
[-DefaultProfile
 <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-ResourceGroupName <System.String>] [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Enable-AzHDInsightMonitoring cmdlet enables the Classic Azure Monitor logs integration on an HDInsight cluster.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the cluster to enable monitoring.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PrimaryKey <System.String>

The primary key of the monitoring workspace.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group of the cluster.

Required? false

Position? named

Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WorkspaceId <System.String>

The id of the monitoring workspace.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Enable-AzHDInsightMonitoring -Name testcluster -WorkspaceId 1d364e89-bb71-4503-aa3d-a23535aea7bd -PrimaryKey  
'key for workspace 1d364e89-bb71-4503-aa3d-a23535aea7bd'
```

True

Monitoring will be enabled on the HDInsight cluster and relevant logs will be sent to the monitoring workspace with id
1d364e89-bb71-4503-aa3d-a23535aea7bd

----- Example 2 -----

1d364e89-bb71-4503-aa3d-a23535aea7bd -PrimaryKey 'key for workspace

1d364e89-bb71-4503-aa3d-a23535aea7bd'

True

Monitoring will be enabled on the HDInsight cluster and relevant logs will be sent to the monitoring workspace with id
1d364e89-bb71-4503-aa3d-a23535aea7bd

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.hdinsight/enable-azhdinsightmonitoring>