



Windows PowerShell Get-Help on Cmdlet 'Enable-AzSqlInstanceDatabaseLedgerDigestUpload'

PS:\>Get-HELP Enable-AzSqlInstanceDatabaseLedgerDigestUpload -Full

NAME

Enable-AzSqlInstanceDatabaseLedgerDigestUpload

SYNOPSIS

Enables uploading ledger digests to an Azure Storage account or Azure Confidential Ledger for a database in an Azure SQL Managed Instance.

SYNTAX

```
Enable-AzSqlInstanceDatabaseLedgerDigestUpload [-ResourceGroupName] <System.String> [-InstanceName]
<System.String> [-InstanceName] <System.String> [-Endpoint]
                                     <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Enable-AzSqlInstanceDatabaseLedgerDigestUpload [-Endpoint] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

Enable-AzSqlInstanceDatabaseLedgerDigestUpload [-ResourceId] <System.String> [-Endpoint] <System.String>
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

Enables uploading ledger digests to an Azure Storage account or Azure Confidential Ledger for a database in an Azure SQL Managed Instance. To use the cmdlet, specify the endpoint of an Azure Blob storage account or a ledger in Azure Confidential Ledger, and identify the database. If uploading ledger digests is already enabled, the cmdlet resets the digest storage endpoint to a new value.

PARAMETERS

-InstanceName <System.String>

SQL Instance name.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Endpoint <System.String>

The Azure Managed Instance Database Ledger Digest Uploads endpoint.

Required? true

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlDatabaseModel>

The database object to enable digest uploads for.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The resource id of the database to enable digest uploads for.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-InstanceName <System.String>

Azure SQL Managed Instance name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.Database.Model.AzureSqlManagedDatabaseModel

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.ManagedInstanceLedgerDigestUploads.Model.AzureSqlInstanceDatabaseLedgerDigestUploadModel

NOTES

----- Example 1 -----

```
Enable-AzSqlInstanceDatabaseLedgerDigestUpload -ResourceGroupName "ResourceGroup01" -InstanceName
"Server01" -DatabaseName "Database01" -Endpoint
"https://mystorage.blob.core.windows.net"
```

ResourceGroupName	InstanceName	DatabaseName	State	Endpoint
-------------------	--------------	--------------	-------	----------

ResourceGroup01	Server01	Database01	Enabled	https://mystorage.blob.core.windows.net
-----------------	----------	------------	---------	---

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/enable-azsqlinstancedatabaseledgerdigestupload>