



Windows PowerShell Get-Help on Cmdlet 'Enable-AzSynapseSqlPoolSensitivityRecommendation'

PS:\>Get-HELP Enable-AzSynapseSqlPoolSensitivityRecommendation -Full

NAME

Enable-AzSynapseSqlPoolSensitivityRecommendation

SYNOPSIS

Enables sensitivity recommendations on columns (recommendations are enabled by default on all columns) in the SQL pool.

SYNTAX

```
Enable-AzSynapseSqlPoolSensitivityRecommendation [-ResourceGroupName] <System.String> [-WorkspaceName]
<System.String> [-SqlPoolName] <System.String> [-AsJob]
                                -ColumnName <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
-SchemaName
    <System.String> -TableName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Enable-AzSynapseSqlPoolSensitivityRecommendation [-AsJob] -ColumnName <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
-SchemaName <System.String> -SqlPoolObject
    <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool> -TableName <System.String> [-Confirm] [-WhatIf]
```

[<CommonParameters>]

Enable-AzSynapseSqlPoolSensitivityRecommendation [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-InputObject <Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel>

[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Enable-AzSynapseSqlPoolSensitivityRecommendation cmdlet enables sensitivity recommendations on columns in the SQL pool.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ColumnName <System.String>

Name of column.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel>

An object representing a SQL Pool Sensitivity Classification.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

This Cmdlet does not return an object by default. If this switch is specified, it returns true if successful.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SchemaName <System.String>

Name of schema.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SqlPoolName <System.String>

Name of Synapse SQL pool.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SqlPoolObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-TableName <System.String>

Name of table.

Required? true

Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel

System.String

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

OUTPUTS

System.Boolean

NOTES

Example 1: Enable sensitivity recommendations on a given column in an Azure Synapse SQL pool.

```
Enable-AzSynapseSqlPoolSensitivityRecommendation -ResourceGroupName ContosoResourceGroup
-WorkspaceName ContosoWorkspace -SqlPoolName ContosoSqlPool -SchemaName
schema -TableName table -ColumnName column
```

Example 2: Enable sensitivity recommendations on a given column Azure Synapse SQL pool using Piping.

```
Get-AzSynapseSqlPool -ResourceGroupName ContosoResourceGroup -WorkspaceName ContosoWorkspace -Name  
ContosoSqlPool | Enable-AzSynapseSqlPoolSensitivityRecommendation  
-SchemaName schema -TableName table -ColumnName column
```

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.synapse/enable-azsynapsesqlpoolsensitivityrecommendation>