



## ***Windows PowerShell Get-Help on Cmdlet 'Enable-AzTrafficManagerProfile'***

***PS:\>Get-HELP Enable-AzTrafficManagerProfile -Full***

### NAME

Enable-AzTrafficManagerProfile

### SYNOPSIS

Enables a Traffic Manager profile.

### SYNTAX

```

                                     Enable-AzTrafficManagerProfile                [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name <System.String>

                                     [-ResourceGroupName <System.String> [<CommonParameters>]

                                     Enable-AzTrafficManagerProfile                [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -TrafficManagerProfile
                                     <Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerProfile> [<CommonParameters>]

```

### DESCRIPTION

The Enable-AzTrafficManagerProfile cmdlet enables an Azure Traffic Manager profile. You can specify the profile object

by using the pipeline or as a parameter value.

Alternatively, you can specify the profile by using the Name and ResourceGroupName parameters.

## PARAMETERS

**-DefaultProfile** <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-Name** <System.String>

Specifies the name of the Traffic Manager profile that this cmdlet enables.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

**-ResourceGroupName** <System.String>

Specifies the name of a resource group. This cmdlet enables a Traffic Manager profile in the group that this parameter specifies.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-TrafficManagerProfile <Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerProfile>

Specifies a TrafficManagerProfile object to enable. To obtain a TrafficManagerProfile object, use the Get-AzTrafficManagerProfile cmdlet.

|                             |                |
|-----------------------------|----------------|
| Required?                   | true           |
| Position?                   | named          |
| Default value               | None           |
| Accept pipeline input?      | True (ByValue) |
| Accept wildcard characters? | false          |

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

Microsoft.Azure.Commands.TrafficManager.Models.TrafficManagerProfile

#### OUTPUTS

System.Boolean

#### NOTES

----- Example 1: Enable a profile specified by name -----

```
Enable-AzTrafficManagerProfile -Name "ContosoProfile" -ResourceGroupName "ResourceGroup11"
```

This command enables the profile named ContosoProfile in ResourceGroup11.

----- Example 2: Enable a profile by using the pipeline -----

```
Get-AzTrafficManagerProfile -Name "ContosoProfile" -ResourceGroupName "ResourceGroup11" |  
Enable-AzTrafficManagerProfile
```

This command gets the profile named ContosoProfile in ResourceGroup11. The command then passes that profile to the Enable-AzTrafficManagerProfile cmdlet by using the pipeline operator. That cmdlet enables that profile.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.trafficmanager/enable-aztrafficmanagerprofile>

Disable-AzTrafficManagerProfile

Get-AzTrafficManagerProfile

New-AzTrafficManagerProfile

Remove-AzTrafficManagerProfile

Set-AzTrafficManagerProfile