



Windows PowerShell Get-Help on Cmdlet 'Enable-BcdElementHypervisorDebug'

PS:\>Get-HELP Enable-BcdElementHypervisorDebug -Full

NAME

Enable-BcdElementHypervisorDebug

SYNTAX

Enable-BcdElementHypervisorDebug [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

Enable-BcdElementHypervisorDebug [-Id] <string> [[-Store] <BcdStoreInfo>] [-Force] [-WhatIf] [-Confirm]
[<CommonParameters>]

Enable-BcdElementHypervisorDebug [-Entry] <BcdEntryInfo> [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	cf

Dynamic? false

-Entry <BcdEntryInfo>

Required? true

Position? 0

Accept pipeline input? true (ByValue)

Parameter set name Entry

Aliases None

Dynamic? false

-Force

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-Id <string>

Required? true

Position? 0

Accept pipeline input? true (ByValue, ByPropertyName)

Parameter set name Id

Aliases Identifier

Dynamic? false

-Store <BcdStoreInfo>

Required? false

Position? 1

Accept pipeline input?	false
Parameter set name	Id
Aliases	None
Dynamic?	false

-WhatIf

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	wi
Dynamic?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String
Microsoft.Windows.Bcd.Cmdlets.BcdExtensions.BcdEntryInfo

OUTPUTS

System.Object

ALIASES

None

REMARKS

None