



Windows PowerShell Get-Help on Cmdlet 'Enable-NetIPHttpsProfile'

PS:\>Get-HELP Enable-NetIPHttpsProfile -Full

NAME

Enable-NetIPHttpsProfile

SYNOPSIS

Enables an IP-HTTPS configuration profile.

SYNTAX

Enable-NetIPHttpsProfile [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -Profile <String> [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]

DESCRIPTION

The Enable-NetIPHttpsProfile cmdlet enables an IP-HTTPS configuration profile. Only one configuration can be active at a time.

An active configuration does not mean that IP-HTTPS is active. The active configuration may disable IP-HTTPS.

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Profile <String>

Specifies the name of the profile to enable.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

This cmdlet accepts no input objects.

OUTPUTS

System.Object

This cmdlet returns an object.

NOTES

----- Example 1: Enable IP-HTTPS configuration profile -----

```
PS C:\>Enable-NetIPHttpsProfile -Profile "Redmond"
```

This command enables the IP-HTTPS configuration profile named Redmond.

RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/networktransition/enable-netiphttpsprofile?view=windowsserver2022-ps&wt.](https://learn.microsoft.com/powershell/module/networktransition/enable-netiphttpsprofile?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

[mc_id=ps-gethelp](https://learn.microsoft.com/powershell/module/networktransition/enable-netiphttpsprofile?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

[Disable-NetIPHttpsProfile](#)