



Windows PowerShell Get-Help on Cmdlet 'Enable-OdbcPerfCounter'

PS:\>Get-HELP Enable-OdbcPerfCounter -Full

NAME

Enable-OdbcPerfCounter

SYNOPSIS

Enables connection pooling Performance Monitor counters.

SYNTAX

```
Enable-OdbcPerfCounter [-InputObject] <CimInstance[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Enable-OdbcPerfCounter [[-Platform] {32-bit | 64-bit | All}] [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Enable-OdbcPerfCounter cmdlet enables the Open Database Connectivity (ODBC) connection pooling Performance Monitor counters for troubleshooting ODBC connection

pooling.

For more information about ODBC and performance counters, see Microsoft Open Database Connectivity (ODBC) (<https://msdn.microsoft.com/en-us/library/ms710252.aspx>) and

[ODBC Performance Counters](<https://msdn.microsoft.com/en-us/library/windows/desktop/ms709288.aspx>) on the Microsoft Developer Network.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[`Get-CimSession`](<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-Platform <String>

Specifies the platform architecture. This cmdlet enables the ODBC connection pooling Performance Monitor counters that belong to the architecture that the parameter specifies. The acceptable values for this parameter are:

- 32-bit

- 64-bit

- All

The default value is 32-bit on a 32-bit process. The default value is 64-bit on a 64-bit process. If you run this cmdlet in a remote CIM session, this parameter refers to the platform architecture on the remote computer.

Required?	false
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
-----------	-------

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#MSFT_OdbcPerfCounter[]

NOTES

-- Example 1: Enable Performance Counter on a 32-bit platform --

```
PS C:\> Enable-OdbcPerfCounter -Platform "32-bit"
```

This command enables the ODBC Performance Counter setting on a 32-bit platform.

--- Example 2: Enable Performance Counter on both platforms ---

```
PS C:\> Enable-OdbcPerfCounter -Platform "All"
```

This command enables the ODBC Performance Counter setting on both 32-bit and 64-bit platforms.

Example 3: Enable and disable Performance Counter on a 32-bit platform

```
PS C:\> $PerfCounter = Enable-OdbcPerfCounter -Platform "32-bit" -PassThru
```

```
PS C:\> Disable-OdbcPerfCounter -InputObject $PerfCounter
```

The first enables the ODBC Performance Counter setting on 32-bit platform, and then stores the result in the \$PerfCounter variable. After you run the first command, you can run ODBC applications that use pooling.

The second command disables the ODBC Performance Counter setting specified by \$PerfCounter.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/wdac/enable-odbcperfcounter?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Disable-OdbcPerfCounter

Get-OdbcPerfCounter