



Windows PowerShell Get-Help on Cmdlet 'Exit-PSHostProcess'

PS:\>Get-HELP Exit-PSHostProcess -Full

NAME

Exit-PSHostProcess

SYNOPSIS

Closes an interactive session with a local process.

SYNTAX

Exit-PSHostProcess [<CommonParameters>]

DESCRIPTION

The `Exit-PSHostProcess` cmdlet closes an interactive session with a local process that you have opened by running the `Enter-PSHostProcess` cmdlet. You run the

`Exit-PSHostProcess` cmdlet from within the process, when you are finished debugging or troubleshooting a script that is running within a process. Beginning in

PowerShell 6.2, this cmdlet is supported on non-Windows platforms.

PARAMETERS

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

NOTES

----- Example 1: Exit a process -----

```
PS C:\> [Process:1520]: PS C:\> Exit-PSHostProcess
PS C:\>
```

In this example, you have been working in an active process to debug a script running in a runspace in the process, as described in ``Enter-PSHostProcess``. After you

type the ``exit`` command to exit the debugger, run the ``Exit-PSHostProcess`` cmdlet to close your interactive session with the process. The cmdlet closes your session

in the process, and returns you to the ``PS C:>`` prompt.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/microsoft.powershell.core/exit-pshostprocess?view=powershell-5.1&WT.mc_id=ps-gethelp

Enter-PSHostProcess

