



Windows PowerShell Get-Help on Cmdlet 'Export-AzConfig'

PS:\>Get-HELP Export-AzConfig -Full

NAME

Export-AzConfig

SYNOPSIS

Exports all the configs into a file so that it can be imported on another machine.

SYNTAX

```
Export-AzConfig [-Path] <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]  
[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The `Export-AzConfig` cmdlet exports all the configs that are set at the "CurrentUser" scope into a file at given path in JSON format. The file can then be imported

by `Import-AzConfig` for example on another machine.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Overwrites the given file if it exists.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Returns a boolean value indicating success or failure.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Path <System.String>

Specifies the path of the file to which to save the configs.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Export-AzConfig -Path ./config.json
```

This example exports the configs to `./config.json` file which can later be imported via `Import-AzConfig`.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.accounts/export-azconfig>

Import-AzConfig