



python



PowerShell

FPDF Library

PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-AppvClientConnectionGroup'

PS C:\Users\wahid> Get-Help Get-AppvClientConnectionGroup

NAME

Get-AppvClientConnectionGroup

SYNOPSIS

Returns an App-V connection group object.

SYNTAX

Get-AppvClientConnectionGroup [-GroupId] <Guid> [[-VersionId] <Guid>] [-All]

[<CommonParameters>]

Get-AppvClientConnectionGroup [[-Name] <String>] [-All] [<CommonParameters>]

DESCRIPTION

The Get-AppvClientConnectionGroup cmdlet returns a specific Microsoft Application Virtualization (App-V) connection group object.

PARAMETERS

-All [<SwitchParameter>]

Indicates that the cmdlet returns all connection groups that have been added to the computer, not just those that are enabled to the current user.

-GroupId <Guid>

Specifies the GUID of specific connection group.

-Name <String>

Specifies the name of the App-V Connection Group.

-VersionId <Guid>

Specifies a GUID that differentiates a package version from other versions, whether older, newer, or of a different lineage. If you do not specify this parameter, the cmdlet operates on all versions of the package.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get all versions of a group by name -----

```
PS C:\> Get-AppvClientConnectionGroup -Name "MyConnectionGroup"
```

This command gets all versions of the enabled connection groups named MyConnectionGroup.

----- Example 2: Get a connection group by using its ID -----

```
PS C:\> Get-AppvClientConnectionGroup -GroupID  
793afd37-bd68-4ea1-859a-669f6afd0aa8
```

This command gets the enabled connection group that has the group ID of 793afd37-bd68-4ea1-859a-669f6afd0aa8.

----- Example 3: Get all connection groups -----

```
PS C:\> Get-AppvClientConnectionGroup -All
```

This command gets all of the connection groups on the computer.

REMARKS

To see the examples, type: "get-help Get-AppvClientConnectionGroup -examples".

For more information, type: "get-help Get-AppvClientConnectionGroup -detailed".

For technical information, type: "get-help Get-AppvClientConnectionGroup
-full".

For online help, type: "get-help Get-AppvClientConnectionGroup -online"